

AUTHOR INDEX: VOLUME 60

- Abdalla ISH, 1036
 Abernethy DR, 697
 Abraham RD, 225
 Abrams J, 1H
 Acampora D, 219
 Acker JJ, 916
 Adams PC, 9G
 Ades PA, 963
 Adhar GC, 618
 Agarwal JB, 1269
 Agmon J, 534
 Agre K, 31J
 Ahmed I, 865
 Ahn DK, 71
 Airaksinen KEJ, 1395
 Akins CW, 112
 Albert A, 5
 Alderman EL, 1219
 Alexander JK, 137
 Alfonso F, 931
 Aikahn M, 20
 Alker KJ, 422
 Allen BJ, 572
 Allie A, 663
 Almendral JM, 596
 Almozilino A, 534
 Almquist A, 811
 Alpert BS, 405
 Alpert JS, 293
 Al-Sadir J, 166
 Altongy GJ, 1206
 Amaro R, 1083
 Ambrose JA, 947
 Amery A, 1362
 Amplatz K, 544
 Anand IS, 68C
 Anastasiou-Nana MI, 281
 Anderson JL, 281
 Anderson JW, 17G
 Anderson KM, 560
 Anderson RH, 1157, 1203
 Anderson SD, 249
 Andries F, 1193
 Angelchik P, 1186
 Angello DA, 528
 Antman EM, 256
 Anyukhovskiy EP, 27F
 Applegate RJ, 10
 Arai H, 762
 Araujo LI, 26H
 Armstrong WF, 1254
 Arnold AER, 231
 Aronow WS, 399, 730,
 1182, 1189, 1216
 Artiz V, 931
 Asanoi H, 446
 Aschenberg W, 836
 Ashmore PG, 1148
 Askenase A, 1173
 Assoussa S, 51D
 Auriemo CRC, 947
 Aygen M, 147
 Azic T, 1416

 Bacharach SL, 778
 Bacon S, 33G
 Badimon JJ, 9G
 Badimon L, 9G, 10B
 Bahnson HT, 890
 Baird CL, 15D
 Bairey CN, 456
 Baker BJ, 48F
 Balaguer J, 931

 Balcke P, 421
 Baldus WP, 885
 Balke CW, 895
 Balkus SA, 560
 Banai S, 1003, 1180
 Barbieri A, 31C
 Barbieri E, 50
 Bardy GH, 618
 Barlow JB, 1152
 Barnett PS, 86
 Baroosh B, 743
 Barr MJ, 63D
 Barre P, 418
 Barreca P, 1290
 Barry J, 483
 Baselli G, 1239
 Basnight LL, 1065
 Bass JL, 351
 Bassand J-P, 435
 Batchelder JE, 905
 Bates ER, 728
 Batres GM, 1206
 Batuman V, 743
 Bauman AE, 1112
 Bautovich GJ, 10H
 Beamer AD, 998
 Beatt K, 993
 Becque O, 435
 Beerman LB, 890
 Behrendt DM, 1134
 Beirne GJ, 747
 Belhadj K, 75C
 Bellil D, 654
 Bencivelli V, 238
 Benditt DG, 807, 811
 Benhorin J, 1003
 Benowitz NL, 1078
 Benson DW Jr, 807, 811
 Berdusis K, 76
 Berko BA, 363
 Berry JM, 351
 Bertolasi CA, 721
 Bettmann MA, 17B
 Beyer RW, 852
 Bharati S, 385
 Bhatia SJS, 372, 1143
 Biagini A, 36
 Bielen E, 1362
 Biesenbach G, 421
 Bigger JT Jr, 10F
 Birkett JP, 1096
 Birnbaum SE, 405
 Bishop RL, 293
 Bisset GS III, 1199
 Blackburn GL, 3G, 55G
 Blackman MS, 346
 Blacky RA, 730
 Blake K, 1055
 Blatt C, 3F
 Bleifeld W, 836
 Block PC, 112, 659
 Blomqvist CG, 1356
 Bluggermann JJ, 721
 Blum RI, 1030
 Boccuzzi SJ, 451
 Bode C, 371
 Boden WE, 203, 726
 Bodker B, 1188
 Bogen DK, 1387
 Bohn A, 66
 Bolens M, 692
 Bolger AF, 333
 Bolson EL, 34B

 Bonan R, 50B, 788
 Bonazzi O, 1068
 Bonchek LI, 903
 Bonow RO, 123, 778
 Booth DC, 322
 Borer JS, 397, 1322
 Borggrete M, 1306
 Borghi A, 489
 Borow KM, 166
 Bortolotti U, 920
 Boucher CA, 112
 Boucher TM, 1393
 Bourassa MG, 50B
 Bourdarias JP, 31C
 Bourke JP, 271
 Bove EL, 346
 Bove KE, 1199
 Bowman RL, 1117
 Boysen G, 382
 Braat SH, 725
 Bradley AB, 726
 Brady P, 276
 Brand DA, 219, 998
 Brandt AA, 219
 Braunlin EA, 351
 Braunwald E, 630, 755
 Breithardt G, 1306
 Brewington J, 39D
 Brinch K, 382
 Bristow MR, 57C
 Brodsky MA, 572
 Brooks HL, 1191
 Brower RW, 231
 Brown BG, 34B
 Brown K, 358
 Brown KA, 15
 Brown ML, 1, 1265
 Brugada P, 738, 1043, 1406
 Brunken RC, 654
 Brunner HR, 1178
 Brunotte F, 75C
 Bryer-Ash M, 1186
 Buckley JC, 1356
 Buckingham TA, 1030
 Buckley MJ, 112
 Budde T, 1306
 Bugiardini R, 489
 Buhler FR, 630
 Buonissimo S, 1317
 Burek K, 958
 Burger JD, 688
 Burguet W, 1025
 Burnashev NA, 27F
 Burton DA, 409
 Bussmann W-D, 48B
 Butman S, 52F
 Butman SM, 603
 Butzer F, 72C
 Buxton AE, 80
 Byrum CJ, 346

 Califf RM, 766
 Calvo OL, 736
 Cameron A, 1051
 Cameron J, 20H
 Camici P, 26H
 Campbell C, 3C
 Campbell CA, 422
 Campbell RM, 688
 Campbell S, 483
 Candela JB, 48H
 Capone R, 976
 Carboni GP, 1246

 Cardot J-C, 435
 Carleton RA, 1206
 Carlier J, 5
 Carlson EB, 460
 Carney RM, 1273
 Carpeggiani C, 36
 Carroll JD, 403
 Casazza LA, 1334
 Casey TP, 572
 Cashman PMM, 1246
 Casper K, 75G
 Castellanos A, 90
 Castelli WP, 560
 Cauley JA, 771
 Celermajer JM, 1112
 Cercek B, 214, 1225
 Cerutti S, 1239
 Cetnarowski AB, 1215
 Chadda KD, 732
 Chaitman B, 44B
 Chaitman BR, 262
 Chan KY, 21C
 Chan MC, 29E
 Chandraratna PAN, 394, 917,
 1194, 1208
 Chandrasoma P, 1194
 Chang L, 1378
 Chang T, 15H
 Charru A, 820
 Chase NA, 405
 Chatellier G, 820
 Chatterjee K, 18H, 37C
 Chaux A, 333
 Chellian MD, 413
 Cheng HC, 10C
 Cheriex E, 1406
 Chesebro J, 9G
 Chesebro JH, 10B
 Chesler E, 1196
 Cheung DLC, 921
 Chierchia S, 36A, 238
 Child JS, 119, 327
 Childers RW, 715
 Chin A, 409
 Chiu YC, 403
 Choong CYP, 10H
 Choriaria S, 85C
 Chung EK, 1405
 Clark K, 1273
 Clark M, 1322
 Clark S, 663
 Clark SH, 119
 Clarke RH, 751
 Clausen A, 836
 Clements IP, 1, 1265
 Clements JP, 15
 Cody RJ, 20J, 1322
 Cohen AI, 566
 Cohen JD, 548
 Cohen JL, 743
 Cohn JN, 39H, 72G, 316
 Cole P, 871
 Collado R, 1206
 Colliard P, 46C
 Collen D, 231, 431
 Collier JA, 905
 Conti CR, 31H, 173, 630
 Conway M, 309
 Cook EF, 219, 998
 Cook F, 871
 Cooley DA, 1416
 Coombs B, 784
 Copen D, 219

AUTHOR INDEX: VOLUME 60

- Abdalla ISH, 1036
 Abernethy DR, 697
 Abraham RD, 225
 Abrams J, 1H
 Acampora D, 219
 Acker JJ, 916
 Adams PC, 9G
 Ades PA, 963
 Adhar GC, 618
 Agarwal JB, 1269
 Agmon J, 534
 Agre K, 31J
 Ahmed I, 865
 Ahn DK, 71
 Airaksinen KEJ, 1395
 Akins CW, 112
 Albert A, 5
 Alderman EL, 1219
 Alexander JK, 137
 Alfonso F, 931
 Aikahn M, 20
 Alker KJ, 422
 Allen BJ, 572
 Allie A, 663
 Almendral JM, 596
 Almozilino A, 534
 Almquist A, 811
 Alpert BS, 405
 Alpert JS, 293
 Al-Sadir J, 166
 Altongy GJ, 1206
 Amaro R, 1083
 Ambrose JA, 947
 Amery A, 1362
 Amplatz K, 544
 Anand IS, 68C
 Anastasiou-Nana MI, 281
 Anderson JL, 281
 Anderson JW, 17G
 Anderson KM, 560
 Anderson RH, 1157, 1203
 Anderson SD, 249
 Andries F, 1193
 Angelchik P, 1186
 Angello DA, 528
 Antman EM, 256
 Anyukhovskiy EP, 27F
 Applegate RJ, 10
 Arai H, 762
 Araujo LI, 26H
 Armstrong WF, 1254
 Arnold AER, 231
 Aronow WS, 399, 730,
 1182, 1189, 1216
 Artiz V, 931
 Asanoi H, 446
 Aschenberg W, 836
 Ashmore PG, 1148
 Askenase A, 1173
 Assoussa S, 51D
 Auriemo CRC, 947
 Aygen M, 147
 Azic T, 1416

 Bacharach SL, 778
 Bacon S, 33G
 Badimon JJ, 9G
 Badimon L, 9G, 10B
 Bahnson HT, 890
 Baird CL, 15D
 Bairey CN, 456
 Baker BJ, 48F
 Balaguer J, 931

 Balcke P, 421
 Baldus WP, 885
 Balke CW, 895
 Balkus SA, 560
 Banai S, 1003, 1180
 Barbieri A, 31C
 Barbieri E, 50
 Bardy GH, 618
 Barlow JB, 1152
 Barnett PS, 86
 Baroosh B, 743
 Barr MJ, 63D
 Barre P, 418
 Barreca P, 1290
 Barry J, 483
 Baselli G, 1239
 Basnight LL, 1065
 Bass JL, 351
 Bassand J-P, 435
 Batchelder JE, 905
 Bates ER, 728
 Batres GM, 1206
 Batuman V, 743
 Bauman AE, 1112
 Bautovich GJ, 10H
 Beamer AD, 998
 Beatt K, 993
 Becque O, 435
 Beerman LB, 890
 Behrendt DM, 1134
 Beirne GJ, 747
 Belhadj K, 75C
 Bellil D, 654
 Bencivelli V, 238
 Benditt DG, 807, 811
 Benhorin J, 1003
 Benowitz NL, 1078
 Benson DW Jr, 807, 811
 Berdusis K, 76
 Berko BA, 363
 Berry JM, 351
 Bertolasi CA, 721
 Bettmann MA, 17B
 Beyer RW, 852
 Bharati S, 385
 Bhatia SJS, 372, 1143
 Biagini A, 36
 Bielen E, 1362
 Biesenbach G, 421
 Bigger JT Jr, 10F
 Birkett JP, 1096
 Birnbaum SE, 405
 Bishop RL, 293
 Bisset GS III, 1199
 Blackburn GL, 3G, 55G
 Blackman MS, 346
 Blacky RA, 730
 Blake K, 1055
 Blatt C, 3F
 Bleifeld W, 836
 Block PC, 112, 659
 Blomqvist CG, 1356
 Bluggermann JJ, 721
 Blum RI, 1030
 Boccuzzi SJ, 451
 Bode C, 371
 Boden WE, 203, 726
 Bodker B, 1188
 Bogen DK, 1387
 Bohn A, 66
 Bolens M, 692
 Bolger AF, 333
 Bolson EL, 34B

 Bonan R, 50B, 788
 Bonazzi O, 1068
 Bonchek LI, 903
 Bonow RO, 123, 778
 Booth DC, 322
 Borer JS, 397, 1322
 Borggrete M, 1306
 Borghi A, 489
 Borow KM, 166
 Bortolotti U, 920
 Boucher CA, 112
 Boucher TM, 1393
 Bourassa MG, 50B
 Bourdarias JP, 31C
 Bourke JP, 271
 Bove EL, 346
 Bove KE, 1199
 Bowman RL, 1117
 Boysen G, 382
 Braat SH, 725
 Bradley AB, 726
 Brady P, 276
 Brand DA, 219, 998
 Brandt AA, 219
 Braunlin EA, 351
 Braunwald E, 630, 755
 Breithardt G, 1306
 Brewington J, 39D
 Brinch K, 382
 Bristow MR, 57C
 Brodsky MA, 572
 Brooks HL, 1191
 Brower RW, 231
 Brown BG, 34B
 Brown K, 358
 Brown KA, 15
 Brown ML, 1, 1265
 Brugada P, 738, 1043, 1406
 Brunken RC, 654
 Brunner HR, 1178
 Brunotte F, 75C
 Bryer-Ash M, 1186
 Buckley JC, 1356
 Buckingham TA, 1030
 Buckley MJ, 112
 Budde T, 1306
 Bugiardini R, 489
 Buhler FR, 630
 Buonissimo S, 1317
 Burek K, 958
 Burger JD, 688
 Burguet W, 1025
 Burnashev NA, 27F
 Burton DA, 409
 Bussmann W-D, 48B
 Butman S, 52F
 Butman SM, 603
 Butzer F, 72C
 Buxton AE, 80
 Byrum CJ, 346

 Califf RM, 766
 Calvo OL, 736
 Cameron A, 1051
 Cameron J, 20H
 Camici P, 26H
 Campbell C, 3C
 Campbell CA, 422
 Campbell RM, 688
 Campbell S, 483
 Candela JB, 48H
 Capone R, 976
 Carboni GP, 1246

 Cardot J-C, 435
 Carleton RA, 1206
 Carlier J, 5
 Carlson EB, 460
 Carney RM, 1273
 Carpeggiani C, 36
 Carroll JD, 403
 Casazza LA, 1334
 Casey TP, 572
 Cashman PMM, 1246
 Casper K, 75G
 Castellanos A, 90
 Castelli WP, 560
 Cauley JA, 771
 Celermajer JM, 1112
 Cercek B, 214, 1225
 Cerutti S, 1239
 Cetnarowski AB, 1215
 Chadda KD, 732
 Chaitman B, 44B
 Chaitman BR, 262
 Chan KY, 21C
 Chan MC, 29E
 Chandraratna PAN, 394, 917,
 1194, 1208
 Chandrasoma P, 1194
 Chang L, 1378
 Chang T, 15H
 Charru A, 820
 Chase NA, 405
 Chatellier G, 820
 Chatterjee K, 18H, 37C
 Chaux A, 333
 Chellian MD, 413
 Cheng HC, 10C
 Cheriex E, 1406
 Chesebro J, 9G
 Chesebro JH, 10B
 Chesler E, 1196
 Cheung DLC, 921
 Chierchia S, 36A, 238
 Child JS, 119, 327
 Childers RW, 715
 Chin A, 409
 Chiu YC, 403
 Choong CYP, 10H
 Choriara S, 85C
 Chung EK, 1405
 Clark K, 1273
 Clark M, 1322
 Clark S, 663
 Clark SH, 119
 Clarke RH, 751
 Clausen A, 836
 Clements IP, 1, 1265
 Clements JP, 15
 Cody RJ, 20J, 1322
 Cohen AI, 566
 Cohen JD, 548
 Cohen JL, 743
 Cohn JN, 39H, 72G, 316
 Cole P, 871
 Collado R, 1206
 Colliard P, 46C
 Collen D, 231, 431
 Collier JA, 905
 Conti CR, 31H, 173, 630
 Conway M, 309
 Cook EF, 219, 998
 Cook F, 871
 Cooley DA, 1416
 Coombs B, 784
 Copen D, 219

- Corbara F, 1006
Cornyn J, 647
Corvol P, 820
Cosner M, 191
Costa IVI, 1421
Costantino G, 1317
Coté G, 788
Cowan JC, 271
Cowley MJ, 1217
Coy K, 519
Coyle K, 44
Crawford FA Jr, 410
Crawford MH, 10, 42C
Crea F, 40, 238
Crépeau J, 50B, 788
Criswell CB, 916
Crow RS, 1036
Crowley DC, 1134
Crozier IG, 390
Cuccurullo F, 667
Cummings GC, 20
Cummings T, 1194
Cunningham MJ, 1393
Czer LSC, 333
- Dadourian BJ, 119
Dage RC, 10C
Dahdah S, 976
Dai WS, 771
Daley K, 219
D'Almoncourt CN, 21F
Dang T-Y, 663
Daniels AR, 703
Daniels KA, 548
Daniels SR, 1411
Danielsen R, 143
David PR, 50B, 788
Davidoff R, 1152
Davies GJ, 238
Davis D, 107
Davis KB, 1219
de Bono DP, 231
De Bruyne B, 467
De Buitelir M, 1073
DeBusk RF, 66, 71
De Divitis O, 1317
Deedwania PC, 21D, 1096
De Feyter PJ, 993
Degre SG, 926
de Guise P, 788
Deitchman D, 1083
DeJesus ST, 751
de la Iglesia FA, 10H
Deligonul U, 44B
Della Bella P, 1043
Dell'Italia LJ, 10
Delorme G, 31C
DeMaria A, 67F
DeMaria AN, 322
DeMaster EG, 316
Demer LL, 988
De Mols H, 784
Denniss AR, 580
Deom A, 692
De Paola AA, 947
De Paola AAV, 276
DeQuattro V, 1083
Derbyshire GJ, 1387
DeRobertis M, 333
De Santos V, 66
De Simone G, 1317
De Smedt MCH, 338
De Smet J-M, 926
Devenish-Meares S, 249
Devereux RB, 397
Devine W, 1157
Devries C, 820
De Zwaan C, 231, 725
D'Heer H, 1403
Diamond GA, 1170
- Diaz R, 721
Dicarlo LA Jr, 1073
Dick M II, 1409
Diederich KW, 440
Diefenbach C, 31C
Dieterich HA, 72C, 85C
Diethelm L, 1421
Dillon JC, 1254
Di Lorenzo L, 1317
Dinaburg AG, 1123
Disciascio G, 1217
DiSessa TG, 405
Distante A, 508
Distler A, 826
Diverio J, 375, 467
Dodge HT, 34B
Doherty JU, 80
Dominguez F, 736
Donovan R, 715
Dorosti K, 1020
Douglas JS Jr, 29B, 39B
Douglas PS, 363
Dove JT, 905
Downes TR, 415
Doyle .., 477
Duchier J, 99
Duffy CE, 76
Dugernier T, 1043
Dumanian AV, 914
Dumanian GA, 914
Dunnigan A, 807, 811
Dunning AJ, 9J
Dunsky MH, 388
Dupuis C, 392
Dworkin JH, 1334
Dyrda I, 50B
Dzau VJ, 1101
- Easley AR, 625
Echt DS, 590
Edmiston WA, 1083
Edmiston WA Jr, 976
Edwards JE, 1196
Egan JM, 697
Egloff C, 1006
Eichhorn EJ, 1329
Einzig S, 351
Eisenberg M, 418
Elkayam U, 1106
Ellis K, 1399
El-Sherif N, 1282
Ermdin M, 36
Enas NH, 1167
English LD, 52F
Epstein S, 730
Epstein SE, 123, 778
Erbel R, 31C, 85C, 231
Erkkila KI, 199
Estes NAM III, 20H
Evans A, 66
Evans VL, 83F
Evans WK, 1161
Evaui JE, 451
Eyre DR, 424
- Facchini M, 1068
Fagan TC, 1096
Fagard R, 1362
Faivre R, 435
Falcone RA, 80
Falleiro R, 191
Farnham DJ, 43H
Faxon DP, 5B
Fehr A, 836
Feigenbaum H, 1254
Feihl F, 1178
Feinstein SB, 136
Feldman CJ, 191
Feldman RC, 379
Feldman RL, 50, 244, 267, 471
- Feldman T, 403, 715
Fellows CL, 1397
Fellows KE, 679
Fellows KE Jr, 684
Ferrell JR, 911
Fifer MA, 112
Finci L, 375, 467, 1401
Fishbein MC, 420
Fisher JD, 288, 1311
Fisher LD, 262, 513
Fisher ML, 1078
Flaherty JT, 35H
Fleckenstein A, 630
Fletcher RD, 566
Fogoros RN, 39F
Foker JE, 351
Folts JD, 1215
Fontaine JM, 1282
Foti A, 1083
Fox KM, 33A
Fragasso G, 40, 238
Francart C, 392
Francis GS, 316
Franz MR, 1055
Fraser LL, 1356
Freed MD, 408, 684
Freedman SB, 499, 525
Frick H, 27H, 35H, 39H
Frick MH, 56H
Friedli B, 692
Friedman J, 281
Friehting TD, 32D
Frohlich ED, 43G
Frostick S, 309
Fuchs J, 534
Fudo T, 952
Fujii J, 384
Fujita M, 446
Funfar J, 75G
Fung H-L, 4H
Furberg CD, 28A
Furman S, 1311
Fuster V, 9G, 10B
Fyfe DA, 410
- Gaffney FA, 1356
Gal D, 751
Galan K, 44B
Galassi AR, 503
Gallastegui J, 385
Gallucci V, 920
Gamage N, 917
Gamallo C, 736
Ganz W, 214, 1225
Garan H, 3D
Gardin JM, 158, 603, 663
Garimoldi M, 1239
Garson A, 83F
Gascon JVG, 53H
Gatewood RP Jr, 33
Gavish A, 1003
Gelbel A, 738
Gelband H, 90
Genro CH, 191
George T, 967
German LD, 46D
Gerosa S, 36A
Gerson MC, 1399
Giacometti L, 1128
Giardina E-GV, 584
Gibbons RJ, 1, 1265
Gibson RS, 203
Gidding SS, 76
Gielchinsky I, 196
Gilbert EM, 57C
Gilchrist IC, 1051
Giles TD, 103
Gilgenkrantz J-M, 75C
Gillis F, 5
Gillespie JA, 23
- Gillette PC, 410
Gillis AM, 590
Gimenez HJ, 1215
Ginsberg JF, 1161
Giroud J, 412
Given MB, 103
Glazier JJ, 36A, 503
Godfraind T, 630
Godtfredsen J, 382, 1188
Gold JP, 924
Gold R, 20H
Gold RL, 293
Goldbaum TS, 1217
Goldberg SJ, 746
Golden P, 21D
Golden RL, 175
Goldenberg IF, 316
Goldman L, 219, 998
Goldman MH, 929
Goldner D, 107
Goldstein H, 298
Goldstein RE, 451
Goldstein S, 976
Goldstein-Wayne B, 219
Gomes AS, 358
Gomes JA, 1290
Gonzalez M, 31C, 46C
Gonzalez MA, 327
Gordon NF, 1092
Gore R, 39D
Gornick CC, 811, 1196
Gottliedner JS, 566
Gottlieb L, 219
Gottlieb S, 1180
Gotzen R, 826
Graboyes TB, 3F
Graham EL, 618
Graham TP Jr, 688
Granrud G, 1299
Grayburn PA, 322
Green CE, 210
Green MV, 778
Greene HL, 618, 1397
Greenspan A, 402
Greenspan AM, 276, 298
Greer S, 46D
Grenade T, 1025
Griffin B, 538
Griffith LSC, 1061
Grim P, 715
Grisar JM, 10C
Groden DL, 971
Gröhn P, 832
Grossman CM, 1215
Grover-McKay M, 654
Guarnieri T, 1061
Guerra F, 920
Guglielmi MD, 667
Guimaraes RF, 947
Guiraudon GM, 27D
Guntheroth WG, 674
Gurley JC, 322
Gustafson NF, 755
Gutai JP, 771
- Habert C, 435
Hackett D, 40
Hackshaw BT, 415
Haffajee C, 20H
Haffajee CI, 293
Hagler D, 164
Hajar HA, 967
Hamad N, 191, 1183, 1184
Hämäläinen L, 832
Hamilton SF, 477
Hammami A, 733
Handler B, 385
Hannon DW, 1199, 1411
Hanson JS, 963
Hanson P, 1215, 1373

- Hansson L, 630
 Harbold NB Jr, 857
 Hariman RJ, 385
 Harker LA, 208
 Härkönen R, 832
 Harrell FE Jr, 766
 Harris PJ, 10H, 225, 249, 499
 Harrison DC, 13E, 630
 Harrison LH Jr, 1218
 Hartley CJ, 988
 Hartzler GO, 377, 1260
 Hasenfuss G, 53C
 Hashimoto T, 952
 Haskell WL, 66, 71
 Hattori R, 952
 Haudenschield CC, 5B
 Haywood J, 976
 Heath BM, 281
 Heber D, 4G
 Heidendal G, 725
 Heikkilä J, 832
 Heinrich F, 72C
 Heinsimer JA, 1065
 Heiss HW, 53C
 Helfant RH, 1173, 1269
 Helfer D, 80C
 Heller GV, 1206
 Hendel JL, 909
 Henkin R, 1282
 Henry JG, 412
 Henry WL, 572, 663
 Henson LC, 4G
 Heo J, 1173
 Herlich MB, 1269
 Herlihy T, 20
 Herman S, 63D
 Herrmann JLV, 947
 Hession M, 73F
 Hession MJ, 59F
 Heymeriks J, 1043
 Heymsfield SB, 75G
 Heyndrickx GR, 1193
 Hill JA, 244, 267, 471
 Hill NE, 388
 Hillis LD, 355
 Hillis WS, 231
 Hinohara T, 460
 Hiraga T, 95
 Hirai T, 446
 Hirata Y, 396
 Hirshfeld JW Jr, 153
 Hlatky MA, 766
 Hoberg E, 796
 Hochreiter C, 397
 Hockings BEF, 967
 Hod H, 1225
 Hodges M, 1299
 Hodgson JMcB, 61
 Hoefnagels WHL, 1087
 Hofbauer KG, 390
 Holdsworth MT, 1215
 Holman BL, 256
 Holubarsch C, 53C
 Hopkins JT, 1405
 Horacek MB, 1230
 Horn A, 371
 Horowitz LN, 276, 298
 Horowitz GL, 1393
 Houston CS, 137
 Hsieh CP, 10C
 Hu DC, 1
 Hubelbank M, 895
 Hugenholz PG, 993
 Hughes JP, 1015
 Huhta J, 164
 Hulse S, 456
 Humphries JO, 35F
 Hussain SM, 196
 Hutchinson T, 418
 Huycke EC, 15D
 Iannascoli F, 75C, 99
 Ibrahim T, 926
 Idänpää-Heikkilä U, 832
 Iglesias A, 736
 Ikäheimo MJ, 1395
 Ikram H, 390
 Illingworth DR, 33G
 Imataka K, 384
 Imperi GA, 519
 Inada M, 708
 Inoue I, 396
 Installé E, 31C, 46C
 Intarachot V, 494
 Ioli A, 363
 Irwin JM, 1065
 Ishibashi M, 384
 Iskandrian AS, 1173
 Isner JM, 751
 Isom OW, 924
 Ito K, 396
 Ivey TD, 618
 Izzo JL Jr, 303
 Jacobs DR Jr, 1036
 Jacquemart JL, 46C
 Jaffe AS, 1273
 Jafri SM, 976
 Jain A, 988
 Jakubowski AT, 932
 Jakubowski R, 219
 Jamal SM, 499, 525
 Janicki JS, 3C, 15C, 63C
 Janosik DL, 1030
 Janse MJ, 21F
 Jansen RWMM, 1087
 Jenkins P, 21D
 Jensen SM, 1188
 Jessup M, 80C
 Jeunemaitre X, 820
 Joelson JM, 792
 Johns JA, 688
 Johnston DR, 1311
 Jones S, 929
 Jones T, 26H
 Josa M, 51D
 Josephson M, 67F
 Josephson MA, 44, 494, 852
 Josephson ME, 80, 596, 1387
 Joshua H, 534
 Juanteguy J, 1061
 Juilliere Y, 75C
 Julian DG, 1A, 37J, 271
 Juneau M, 66, 71
 Juni JE, 958
 Just H, 1H, 53C
 Kahl FR, 415
 Kaiser W, 421
 Kalan JM, 193, 374
 Kalil RAK, 191
 Kallay MC, 303
 Kaltenbach M, 48B, 907
 Kambara H, 952
 Kammerer R, 732
 Kan J, 343
 Kanders BS, 55G
 Kannel WB, 560
 Kaplan HR, 2H
 Kaplan NM, 1383
 Kaplan S, 1411
 Kariya T, 10C
 Karnegis JN, 544
 Karp RB, 1134
 Karpow S, 477
 Kaski JC, 40, 503
 Kass RM, 333
 Kastrup J, 382
 Katoh Y, 1135
 Katus HA, 440
 Katz NM, 401
 Kaufman RJ, 28
 Kavadias M, 1230
 Kavey R-EW, 346
 Kawai C, 952
 Kawanishi D, 1194
 Kay HR, 276, 298
 Keane JF, 679, 684
 Keelan MH Jr, 119
 Kelbek H, 1188
 Kelen GJ, 1282
 Kelly DT, 10H, 225, 249, 499, 525
 Kennedy H, 44B
 Kennedy HL, 48F, 79F, 1030
 Kent KM, 210
 Kerber RE, 380
 Kereiakes D, 37C
 Keren A, 1003, 1180
 Kern MJ, 44B
 Kessebeh M, 191
 Khaja F, 976
 Khalife K, 75C
 Khuri SF, 51D
 Kidawada R, 1135
 Killip T, 1219
 Kim SG, 288, 1311
 Kimura S, 1083
 King J, 1152
 King SB III, 1B, 29B, 39B, 733
 Kinsella JE, 23G
 Kirschenbaum M, 584
 Kitahara Y, 384
 Kitzes DM, 1206
 Kleaveland JP, 153
 Klein GJ, 27D, 59D, 576
 Klein LW, 1269
 Klugfield P, 397
 Kline CH, 410
 Kloner RA, 422, 424, 934, 1211
 Knoll M, 52F
 Knoll ML, 603
 Kobashigawa J, 119
 Kober G, 48B, 907
 Koenigsberg M, 730
 Koga Y, 1009
 Köhler U, 753
 Kohli S, 199
 Kohno Y, 555
 Kohvakka A, 832
 Kojima A, 1009
 Kojima S, 396
 Kondo M, 762
 Konstam MA, 1329
 Koolen JJ, 9J
 Kornreich F, 1230
 Kostis JB, 1334
 Kostuk WJ, 130
 Kotilainen PW, 895
 Kotler MN, 402
 Kou WH, 1073
 Kowey PR, 32D
 Koziol BJ, 4G
 Krabill KA, 351
 Kraemer HC, 71
 Krajcer Z, 1416
 Kreft-Jais C, 820
 Krejs GJ, 1356
 Kremers MS, 613
 Kristensen BO, 746
 Krivokapich J, 327
 Kroetz F, 1015
 Krone RJ, 23
 Kronzon I, 399, 1189
 Kübler W, 2A, 440, 630
 Kubo SH, 1322
 Kuebler W, 371, 796
 Kugiyama K, 1009
 Kulbertus HE, 5
 Kulick D, 1106
 Kulkarni MV, 688
 Kuller LH, 771
 Kumar A, 1106
 Kunze B, 796
 Kupersmith J, 21D
 Kuramochi M, 396
 Kurokawa S, 1135
 Kurosawa T, 1135
 Kussmaul WG, 153
 Kusahara K, 1202
 L'Abbate A, 36, 508
 Lacy CR, 1334
 Laddu A, 1055
 LaFreniere RL, 778
 Lahiri A, 1246
 Laks H, 119, 358
 Lam JYT, 10B
 Lambert CR, 13J, 471, 519
 Lambert M, 788
 Lamounier EN, 947
 LaMountain J, 963
 Lampert S, 3F, 59F, 73F
 Lane LD, 1356
 Lang JF, 21C
 Lang RM, 166
 Lapenna D, 667
 Laragh JH, 82G, 1322
 Laramee P, 214
 Larock M-P, 1025
 LaRoze M, 435
 Larrabee PS, 303
 Lattanzi F, 508
 Lau K-C, 921
 Lavelle JP, 210
 Leachman RD, 1416
 Leaman D, 107
 Leary TM, 1269
 Lebowitz RL, 684
 Le Clerc J-L, 926
 Ledingham J, 309
 Lee G, 29E
 Lee ME, 333
 Lee TH, 219, 998
 LeFree MT, 55
 Leier CV, 27C
 Lellouche D, 31C
 Lembo NJ, 733
 Lemery R, 1043, 1406
 Lemole GM, 430
 Lemp GF, 1015
 Lennane RJ, 231
 Lenzi S, 489, 667
 Leon MB, 1117
 Leone L, 51D
 Lesch M, 86
 Lessure P, 1206
 Lésperance J, 50B, 788
 Leung MP, 890, 921
 Lev M, 385
 Levine JH, 1061
 Levy D, 560, 801
 Levy RD, 33A
 Lew AS, 214, 456, 1225
 Lewis BS, 1225
 Lewis JM, 988
 Licht MR, 303
 Liem LB, 1055
 Lien E, 143
 Limet R, 1025
 Lin S-L, 917, 1208
 Lindsay BD, 63D
 Lindsay J Jr, 191, 1183, 1184
 Link M, 1G
 Lipkin DP, 68C
 Lipsitz LA, 1368
 Little WC, 415
 Lo RNS, 921
 Lock JE, 679
 Loge D, 647
 Lois JF, 358
 Lombardi F, 1239

- Loo R, 1070
 Lopez L, 519
 Lopez LM, 1096
 Lown B, 1F, 3F, 59F, 73F
 Lu DY, 1117
 Lubsen J, 18A, 231
 Lucchese FA, 191
 Luckett CR, 572
 Lüderitz B, 753
 Lurie PR, 368
 Lurila OJ, 832

 Ma PTS, 355
 MacDonald RG, 50, 56B, 267
 MacFarland RT, 79F
 MacGregor GA, 9E
 Mack K, 20H
 Maddens M, 1368
 Maddock V, 1015
 Magid NM, 86
 Magni A, 920
 Magotteaux P, 1025
 Mahrous F, 967
 Maisel A, 1186
 Malik SA, 905
 Malliani A, 1239
 Mamby SA, 726
 Mancini J, 55
 Mancini M, 667
 Mankin HT, 1, 1265
 Mann DE, 67F, 625
 Mann JM, 374, 401, 722, 909, 981
 Manninen V, 27H, 35H, 39H
 Marache P, 392
 Marchlinski FE, 80, 1387
 Marcus FI, 48F, 79F
 Marinchak RA, 32D
 Mark DB, 766
 Mark R, 1368
 Maron BJ, 123, 1137
 Marshall M, 20H
 Martin GJ, 86
 Martin M, 715
 Martin RA, 10H
 Martin RP, 158
 Martin TT, 1329
 Martinez EE, 947
 Martinez RM, 412
 Martinez TLR, 947
 Martino JH, 412
 Marumo F, 1135
 Marzio L, 667
 Maseri A, 26H, 40, 238, 503
 Masini M, 508
 Maskin CS, 63C
 Mason DT, 29E, 35F, 48F
 Mason JW, 57C, 1219
 Massie BM, 309, 647
 Masuda T, 188
 Mathay D, 231
 Matloff JM, 333
 Matsubara H, 708
 Matsumura M, 847
 Matsuyama K, 1009
 Matthews S, 27C
 Mattioli G, 31C
 Matts J, 544
 Maurat J-P, 435
 Maurer G, 333
 Mayer JE, 408
 Maynard C, 513
 Maze SS, 402
 Mazer M, 688
 Mazzei MG, 36
 Mazzucco A, 920
 McCabe CH, 262, 1393
 McCarron D, 59G
 McConahay DR, 1260
 McEniery PT, 1020
 McFarland T, 976

 McIntosh CL, 401
 McIntosh N, 1106
 McIvor ME, 20
 McKay CR, 1106, 1194
 McKenzie FN, 130
 McMahon FG, 35F
 McKanus BM, 1340
 McNamara DG, 83F
 McNamara M, 807
 McNamara NM, 210
 McVey P, 83F
 Mead K, 483
 Medina A, 1180
 Mehrotra KG, 388
 Mehta J, 1096
 Meier B, 375, 467, 1401
 Meijboom EJ, 338
 Meiler SEL, 27C
 Meinertz T, 53C
 Mellors J, 219
 Menard J, 820
 Menlove RL, 281
 Mercado AD, 288, 1311
 Merola P, 1006
 Mertz TE, 2H
 Meyer J, 31C, 85C
 Meyer RA, 164, 1199
 Meyers DG, 911
 Meyer-Sabellek W, 826
 Mezzetti A, 667
 Miao C-Y, 1198
 Michelassi C, 36
 Mickelson JK, 55, 728
 Mikell FL, 905
 Miki S, 1202
 Miklozek CL, 1206
 Milano A, 920
 Miller JP, 23
 Miller NE, 17E
 Miller WP, 842
 Mills LC, 298
 Milstein S, 576, 811
 Minoda K, 1009
 Minotti J, 107
 Mintz GS, 1414
 Miraglia G, 1006
 Mirowski M, 1061
 Mirvis DM, 1015
 Mitchell S, 343
 Mitra-Duncan L, 525
 Mitrovic V, 31C
 Mizgala HF, 932
 Moak JP, 83F
 Moccia D, 1317
 Modena F, 1006
 Modin G, 1078
 Mody T, 44
 Moe DG, 674
 Mok C-K, 921
 Montague TJ, 1230
 Mookherjee S, 388
 Moore EN, 1399
 Moororthy AV, 747
 Morady F, 1073
 Moreau GA, 688
 Morgagni G, 489
 Morgan C, 1161
 Morganroth J, 1D, 10D, 35F, 48F, 276, 1276
 Mori H, 95
 Morikawa M, 762
 Moro S, 1206
 Morris J, 225
 Morris KG, 460
 Moses HW, 33, 305
 Most AS, 61, 792
 Motamed HE, 877, 909
 Mower MM, 1061
 Mulder DG, 358
 Muller JE, 755, 801

 Mulligan SA, 739
 Murphy E, 784
 Murphy K, 1161
 Musch T, 107
 Myburgh DP, 1092
 Myers G, 86
 Myler RK, 909

 Nabel EG, 483
 Nademanee K, 494
 Nair CK, 865
 Nakajima H, 446, 555
 Nakamura H, 24E
 Nakano T, 188
 Nakaoaka H, 384
 Nakaya Y, 95
 Nanas JN, 281
 Narvaez R, 402
 Nath PH, 739
 Nayler WG, 630
 Neaton JD, 548, 1036
 Nellens P, 1193
 Nelson SD, 1073
 Nesralia IA, 191
 Nestorenko VV, 27F
 Nesto RW, 256
 Neumann A, 166
 Neuzner J, 31C
 Nevins V, 715
 Newman B, 684
 Neves L, 753
 Nicholls MG, 390
 Nicklas JM, 958
 Nicod P, 1178
 Niederman AL, 733
 Nieminen MS, 27H, 35H, 39H
 Nienaber CA, 838
 Niggemann EH, 355
 Niles N, 397
 Niset GL, 926
 Nishikawa M, 708
 Nitsch J, 753
 Niwa K, 555
 Nohara R, 952
 Nordrehaug JE, 143
 Nussbaum AR, 684
 Nussberger J, 1178

 Oboler A, 1183
 Ohno A, 446
 Okerholm RA, 21C
 Okike ON, 51D
 Okita Y, 1202
 Okumura K, 1009
 Olivari MT, 316
 Oliver J, 736
 Olmsted WL, 971
 Olson LJ, 885
 Olukotun AY, 15D, 21D, 39D, 51D, 59D
 Omae T, 396
 Omoto R, 847
 O'Neill WW, 185, 958
 Opie LH, 630, 703, 1216
 O'Rourke RA, 901
 Ottani F, 489
 Oz MC, 430

 Packer DL, 46D
 Packer M, 179
 Paganì M, 1239
 Pahl E, 1203
 Pajcic S, 76
 Palac R, 784
 Palac RT, 528
 Palacios IF, 659
 Pallas RS, 210
 Panidis IP, 1414
 Pantopoulos D, 196
 Panush RS, 56B

 Paoletti R, 630
 Parisi AF, 158
 Parizel G, 1403
 Park CH, 1405
 Park SC, 1203
 Parker JO, 44H
 Parker R, 451
 Parmley WW, 1J
 Parris TM, 1414
 Parry WR, 402
 Passamani E, 755
 Passamani ER, 513
 Pasternak RC, 1393
 Patel AK, 747
 Patel B, 1211
 Patterson MWH, 1148
 Patton R, 418
 Paulus WJ, 1193
 Pearle DL, 210
 Pearlman AS, 158
 Pearson PH, 911
 Pedrick TJ, 1020
 Peller OG, 924
 Pennerman BJM, 1087
 Pepine CJ, 13J, 50, 56B, 244, 267, 471, 519
 Pernpruner S, 1239
 Perret C, 1178
 Peter TC, 214
 Peters RW, 1078
 Petersen P, 382
 Peterson J, 1055
 Pettiteau P-Y, 435
 Pettinger MB, 1219
 Pflugfelder PW, 130
 Picano E, 508
 Pichard A, 191, 1183, 1184
 Piarard LA, 5
 Pierpont GL, 316
 Pigott JD, 409
 Pilcher J, 85C
 Pitt B, 185, 958
 Plachetka JR, 697
 Plappert T, 372, 871, 1143
 Platt ML, 48F
 Plouin P-F, 820
 Pluchino FC, 1368
 Pocock WA, 1152
 Podczek A, 1306
 Podolin R, 37C
 Podolin RA, 647
 Podrid PJ, 3F, 59F, 73F
 Poggiopollini G, 667
 Poole WK, 755
 Poole-Wilson PA, 68C, 630
 Popov R, 1148
 Popp RL, 147, 158
 Porreca E, 667
 Portnoy VF, 27F
 Portugal OP, 947
 Potkin BN, 909, 1418
 Pourbaix S, 46C
 Pozzati A, 489
 Prasad R, 477
 Prates PR, 191
 Prato FS, 130
 Pratt CM, 48F, 52F, 67F, 73F
 Presti CF, 1254
 Prichard S, 418
 Prida XE, 244
 Primo G, 926
 Prineas RJ, 548, 1036
 Priori SG, 1068
 Pryor DB, 766
 Prystowsky EN, 46D
 Przyklenk K, 934, 1211
 Puddu P, 489

 Qazi A, 191
 Quinones MA, 158

- Quiroz AC, 103
 Quyyumi AA, 33A

 Rabago G, 931
 Rackley CE, 210
 Radda G, 309
 Radke KJ, 303
 Radtke W, 679
 Raehl CL, 747
 Raftery EB, 1246
 Rahimtoola SH, 394, 917,
 1106, 1194, 1208
 Raia JJ, 1334
 Raichlen JS, 1405
 Raines K, 929
 Raizner AE, 988
 Rajagopalan B, 309
 Ram CVS, 25J
 Ramanathan KB, 1015
 Ramirez M, 852
 Ranquin R, 1403
 Rapaport E, 630
 Rattes MF, 576
 Rautaharju PM, 1230
 Redd RM, 1030
 Reddy BR, 422
 Reder R, 477
 Rediker DE, 112
 Reichel N, 15H, 363
 Reid C, 1194
 Reid CL, 394, 1208
 Reid DS, 231, 271
 Reinach GS, 1152
 Reiter MJ, 625
 Replogle R, 3C
 Resser K, 333
 Rey C, 392
 Rey M, 931
 Reynolds S, 316
 Rhein S, 85C
 Rich MW, 1273
 Richards DA, 580
 Richeson JF, 33
 Rigo P, 1025
 Rigonan K, 1083
 Riley RS, 61
 Ring WS, 316, 351, 811
 Rinne C, 576
 Rittelmeyer JT, 730
 Roberts C, 807
 Roberts CS, 430
 Roberts DJ, 1329
 Roberts R, 203, 988
 Roberts WC, 1E, 28, 33E, 193,
 201, 374, 401, 427, 633, 722,
 877, 909, 936, 938, 981, 1132,
 1133, 1218, 1340, 1418,
 1422, 1423
 Robertson T, 755
 Robicsek F, 857
 Rocco MB, 801
 Röcker L, 826
 Roden D, 1216
 Rodrigues R, 191
 Rodriguez A, 721
 Roebel LE, 10C
 Roffidal LC, 103
 Rogers F, 66, 71
 Rongione AJ, 751
 Rosenshtraukh LV, 27F, 40F
 Rosenthal ME, 596
 Ross DL, 580, 1219
 Ross J, 1414
 Ross RD, 1199, 1411
 Rotenberg Z, 534
 Roth A, 1106
 Rothbart ST, 63D
 Rothman A, 408
 Rouan GW, 219, 998
 Roubin GS, 10H, 29B, 39B, 225,
 249, 733
 Roulette F, 46C
 Rowe JW, 68G
 Roy P, 1401
 Ruberg SJ, 21C
 Runco V, 865
 Ruskin JN, 3D
 Rutherford BD, 1260
 Rutherford JD, 755
 Rutishauser W, 467, 1401
 Rutsch W, 231
 Ryan T, 1254
 Ryan TJ, 262
 Ryschon K, 865
 Rytönen U, 832

 Sadick N, 225
 Sadick NA, 249
 Safar M, 99
 Said SI, 1356
 Saini J, 1273
 Sakakibara H, 396
 Sakamoto H, 1135
 Saksena S, 63D, 196
 Sakurai N, 555
 Sala R, 1239
 Salem DN, 20H, 1329
 Salerno DM, 1299
 Saltzman D, 871
 Salvade G, 31C
 Samaha J, 80C
 Sanborn TA, 5B
 Sander GE, 103
 Sandor GGS, 1148
 Sandrone G, 1239
 Santamore WP, 415
 Sanz ML, 55
 Sareli P, 1152
 Sarmiento RA, 721
 Saroff AL, 584
 Sasayama S, 446
 Sattler LF, 210
 Savage DD, 560
 Savage MP, 1405
 Schaad JW, 86
 Schaller M-D, 1178
 Schamroth CL, 1152
 Scharli M, 231
 Schauer JE, 1373
 Schechtman K, 203
 Scheffold T, 440
 Schelbert HR, 654
 Schiavinato ML, 1006
 Schiavon C, 1006
 Schiavone WA, 1020
 Schiller NB, 413
 Schneider JA, 905
 Schnettler RA, 10C
 Schoen FJ, 424
 Schofer J, 231
 Schroder R, 1216
 Schuchmann GF, 916
 Schuffenecker M, 435
 Schuler G, 2A, 371
 Schulte K-L, 826
 Schultz L, 976
 Schwaiger M, 654
 Schwartz A, 630
 Schwartz DC, 1411
 Schwartz JB, 697
 Schwartz KS, 730
 Schwartz LA, 1096
 Schwartz M, 191
 Schwartz PJ, 1068
 Schwarz F, 2A, 371, 440, 796
 Scott WA, 1409
 Scriven AJ, 68C
 Seals AA, 73F
 Segal BL, 1173
 Segal KR, 743

 Segers J, 1230
 Selwyn AP, 483, 895
 Sensecqua JE, 625
 Serruys PW, 231, 993
 Setälä M, 832
 Shah PK, 214, 456, 1225
 Shah PM, 852
 Shapiro SM, 963
 Sharma AD, 27D, 576
 Sharma B, 1215
 Sharma S, 1157
 Shea MJ, 958
 Sheffield LT, 262
 Sheldon WC, 1020
 Shen WF, 225
 Shephard C, 519
 Shepherd FA, 1161
 Shimizu K, 762
 Shimono Y, 762
 Sholler GF, 1112
 Shook TL, 895
 Shroff SG, 15C
 Shugushev KK, 27F, 40F
 Shulman ST, 76
 Siegel R, 1191
 Siegel RJ, 420, 1340
 Siemons L, 1403
 Siewers RD, 890
 Silverman A, 51D
 Silverman ME, 971
 Simoons ML, 231
 Simpfendorfer C, 1217
 Simson MB, 80
 Singer DH, 86
 Singh BN, 44, 494
 Singh JB, 199
 Singh SN, 48F
 Sinoway L, 107
 Siouffi S, 51D
 Sims S, 380
 Siu CO, 20
 Sketch MH, 865
 Slater DK, 766
 Sleight P, 6A, 309
 Smallhorn J, 164
 Smallridge RC, 929
 Smetnev AS, 40F
 Smith MD, 322
 Smith RJ, 303
 Smith RT, 83F
 Smulyan H, 388
 Snider R, 164
 Sniderman A, 418
 Snyder SH, 630
 Sobel BE, 755
 Sobrino N, 736
 Solodina M, 613
 Somberg J, 67F
 Somberg JC, 1218
 Sondheimer HM, 346
 Soto B, 739, 1421
 Soulen RL, 343
 Sowton E, 538
 Spears JR, 61B
 Sperling DC, 909
 Spielman S, 402
 Spielman SR, 276, 298
 Spielmann RP, 836
 Spinks T, 26H
 Spirito P, 123, 1137
 Sprynger M, 5
 Squires LS, 1405
 Stamato NJ, 596
 Stanbridge R, 40
 Starke H, 911
 Starling MR, 55
 Stasiulewicz C, 219
 Steffe TJ, 2H
 Steffenino G, 467, 1401
 Steg PG, 751

 Stern S, 1003, 1180
 Sternlieb CM, 1096
 Stertzer S, 909
 Stevenson JG, 158
 Stevenson LW, 119, 654
 Stevenson W, 738
 Stewart D, 1290
 Stewart RB, 618
 Stockenhuber F, 421
 Stone PH, 755, 801, 895
 Stoupel E, 926
 Stransky NB, 1329
 Strauss C, 402
 Stringer KA, 1215
 Stritoni P, 1006
 Strunk BL, 413
 Stulberg MS, 413
 Suarez J, 137
 Sugiyama T, 1135
 Sullivan JM, 1015
 Sundberg S, 832
 Sung RJ, 15D
 Sunnergren KP, 355
 Suryapranata H, 993
 Sutton GC, 68C
 Sutton MGSJ, 1143
 Sutton MSJ, 372, 871
 Suzuki K, 847
 Swartz SL, 1101
 Swerdlow C, 1055

 Taccardi B, 1230
 Tahata T, 1202
 Tajik AJ, 885
 Tak T, 917
 Takahashi M, 1009
 Takaoka K, 1009
 Takatsu Y, 952
 Takeda S, 1135
 Takezawa HD, 188
 Takkunen JT, 1395
 Talajic M, 1043
 Talenti E, 920
 Tamaki S, 952
 Tamura T, 1202
 Tanida E, 298
 Taniguchi T, 708
 Targonski A, 1290
 Tavel ME, 1167
 Taylor AB, 410
 Taylor CB, 66, 71
 Taylor GJ, 905
 Taylor KM, 40
 Taylor RR, 967
 Teague SM, 477
 Teele RL, 684
 Teirstein PS, 377
 Telles JS, 947
 Terai M, 555
 Terranova G, 219
 Testa R, 36
 Teule J, 725
 Tevelde A, 1273
 Thadani U, 477
 Theard MA, 372, 1143
 The Chest Pain Study Group, 998
 The Diltiazem Reinfarction Study
 Group, 203
 The Mills Study Group, 755
 The MRFIT Research Group, 771
 The Multicenter Postinfarction
 Research Group, 23, 451
 The Multiple Risk Factor Inter-
 vention Trial Research Group, 548
 The Nadolol Research Group, 15D
 The POSCH Group, 544
 Therneau TM, 451
 Thien S, 1083
 Thieme G, 920
 Thomas JD, 963

- Thomas MG, 103
Thompson GA, 21C
Thompson KA, 46D
Thomson W, 865
Tibbits PA, 451
Tijssen JGP, 18A
Tilley B, 976
Tillisch JH, 654
Timio M, 1177
Timmis AD, 538
Tippie M, 1148
Toba T, 555
Tobler HG, 811
Todd EL, 697
Tofler GH, 755, 801
Toivonen L, 27H, 608
Toivonen LK, 35H, 39H
Tokunaga S, 952
Tomassetti V, 667
Tonnemacher D, 1194
Topic N, 647
Topol EJ, 55, 185, 958
Treese N, 85C
Tremoureaux J, 46C
Tresch DD, 1191
Tristani F, 262
Trotteur G, 1025
Tuna N, 544
Turiet M, 503
Turri D, 721
Tyrrell MJ, 1134
Tzivoni D, 1003
- Uebis R, 231
Ueda Y, 1202
Uellner M, 440
Ulrich S, 80C
Umeda Y, 708
Undrovinas AI, 27F
Unverferth DV, 27C
Uozu K, 952
Uther JB, 580
- Vahanian A, 231
Vaksmann G, 392
Val PG, 50B
Valenti S, 1078
- Vallbracht C, 48B, 907
Van Den Brand M, 993
van den Branden F, 1403
Van den Broeke C, 1362
van den Heuvel P, 1403
Vander Ark CR, 842
Vander Salin TJ, 51D
Vander Zwaag R, 1015
van de Werf F, 431
Vandormael MG, 44B
Vanermen H, 1193
Vanhoutte PM, 630
Van Lier HJJ, 1087
Van Nostrand D, 929
van Wezel H, 9J
Vardan S, 388
Varisco T, 1068
Veltri EP, 1061
Venditti FJ Jr, 3D
Verdenet J, 435
Verheugt FWA, 231
Vernant P, 31C
Verstraete M, 231
Vertes V, 48G
Vetrovec GW, 1217
Vidal FJA, 53H
Vik-Mo H, 143
Viquerat C, 37C
Visser CA, 9J
Visser GHA, 338
Vitola D, 191
Vivaldi MT, 424
Vlachakis ND, 1096
Vogel JHK, 68B
Vogel RA, 55
Voggenreiter U, 796
von Essen R, 231
Voyley W, 477
- Wackers FJTh, 15
Wade MR, 1208
Waeber B, 1178
Walczyk MH, 59G
Waldecker B, 738
Walker CJ III, 572
Wallace MR, 730
Wallace RB, 374
- Walshon J, 219
Wang T, 1216
Ward KE, 1134
Warner RA, 388
Warner RG, 1334
Waters DD, 788
Watkins L Jr, 1061
Watson DC, 405
Watson RM, 1137
Watt D, 1161
Weaver WD, 1397
Weber KT, 1C, 3C, 15C, 63C
Wei JY, 1368
Weiland DS, 1329
Weinberg PM, 409
Weinberger I, 534
Weinberger MH, 1216
Weiner DA, 262
Weintraub WS, 3B
Weisberg MC, 219, 998
Weiss JS, 86
Weiss RM, 15
Weld FM, 23
Wellens F, 1193
Wellens HJJ, 725, 738, 1043, 1406
Wellens HA, 905
Wheelan KR, 613
Whight CM, 1112
White CW, 380
White HD, 256
White RI Jr, 343
Whiting RL, 3J
Wiederholt P, 842
Wiener RS, 33
Wiens RD, 1030
Wilken MK, 911
Willerson JT, 755
Williams DO, 61, 792
Williams R, 35F, 164
Willich SN, 755, 801
Wilson RA, 528
Wilson RF, 380
Winkle RA, 67F, 590
Winniford MD, 355
Winters SL, 1290
Wisenberg G, 130
Wish M, 566
- Wolff GS, 90
Wolincky H, 65B
Wong D, 451
Wong M, 847
Wong W-LW, 1083
Wood AJJ, 79F
Woodruff MP, 865
Words JR, 1167
Woosley RL, 35F
Wyeth RP, 1215
Wyndham CRC, 67F
Wynne J, 256, 422
- Yamaji T, 384
Yamakado T, 188
Yamane Y, 708
Yamanishi K, 446
Yashar J, 1206
Yashar JJ, 1206
Yasue H, 1009
Yazaki Y, 293
Yee M, 66
Yee R, 27D, 576
Yonge R, 309
Yoshimi H, 396
Young JB, 52F, 73F
Young M-L, 90
Young PM, 203
Yusuf S, 11A
Yuzuki Y, 782
- Zaim S, 584
Zannad F, 75C
Zarco P, 1421
Zasgornik J, 421
Zeevi GR, 153
Zehender M, 738
Zehnder J, 1186
Zel's R, 107
Zimmermann R, 371
Zinsmeister AR, 1, 1265
Zipperle G, 72C
Zoble RG, 39D
Zuberbuhler JP, 890, 1157, 1198
Zuberbuhler JS, 1198
Zuckerman BR, 1123

SUBJECT INDEX: VOLUME 60

Abdominal pain

Electrocardiographic changes in patients with upper abdominal pain admitted to a surgical ward, 1188

Abstracts-1987, American Academy of Pediatrics Cardiology

American Academy of Pediatrics, Section on Cardiology, 29th Annual Meeting, New Orleans, Louisiana, October 30-November 1, 1987, 635

Adults

Catheter balloon dilatation for discrete subaortic stenosis in the adult, 403

Aerobic power

Maximum oxygen uptake and cardiac size and function in twins, 1362

Air pericardial tamponade

Air pericardial tamponade, 1421

AJG 25 Years Ago

The AJG in December 1962, 1422
The AJG in November 1962, 1132
The AJG in October 1962, 936

Alcoholism

Idiopathic dilated cardiomyopathy: analysis of 152 necropsy patients, 1340

Aldosterone

Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 388

Allograft rejection

Diagnostic applicability of magnetic resonance imaging in assessing human cardiac allograft rejection, 130

Alpha-adrenergic blockade

Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303

Ambulatory monitoring

See also Holter monitoring

Correlation of complex ventricular arrhythmias detected by ambulatory electrocardiographic monitoring with echocardiographic left ventricular hypertrophy in persons older than 62 years in a long-term health care facility, 730

Effects of titrated beta blockade

(metoprolol) on silent myocardial ischemia in ambulatory patients with coronary artery disease, 519

Mechanisms of arrhythmias

accompanying ST-segment depression on ambulatory monitoring in stable angina pectoris, 1246

Spontaneous variability in the frequency of ventricular premature complexes over prolonged intervals and implications for antiarrhythmic treatment, 608

Utility of ambulatory electrocardiography in detecting pacemaker dysfunction in the early postimplantation period, 1030

Amiloride

Monootherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 703

Amiodarone

Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572

Development of congestive heart failure

and alterations in left ventricular function in patients with sustained ventricular tachyarrhythmias treated with amiodarone, 276

Effectiveness of amiodarone on ventricular arrhythmias during and after acute myocardial infarction, 967

Electrophysiologic predictors of long-term clinical outcome with amiodarone for refractory ventricular tachycardia secondary to coronary artery disease, 293

Success of chronic defibrillation and the role of antiarrhythmic drugs with the automatic implantable cardioverter/defibrillator, 1061

Usefulness of electrophysiologic studies in predicting drug efficacy in patients receiving amiodarone (LE), 1218

Aneurysm

Imbalance among T-cell subsets in patients with coronary arterial aneurysms in Kawasaki disease, 555

Usefulness of echocardiographic evidence of pericardial effusion and mitral regurgitation during the acute stage in predicting development of coronary arterial aneurysms in the late stage of Kawasaki disease, 76

Angina pectoris

Ambulatory monitoring of the digitized electrocardiogram for detection and early warning of transient myocardial ischemia in angina pectoris, 483

Angiographic findings when chest pain recurs after successful percutaneous transluminal coronary angioplasty, 792

Circadian variation in occurrence of transient overt and silent myocardial ischemia in chronic stable angina and comparison with Prinzmetal angina in men, 494

Comparison of carvedilol and atenolol for angina pectoris, 498

Comparison of nifedipine and isosorbide dinitrate when added to maximal propranolol therapy in stable angina pectoris, 256

Comparison of selective (β_1) and nonselective (β_1 and β_2) beta-adrenergic blockade on systemic and coronary hemodynamic findings in angina pectoris, 244

Delayed clinical evidence of coronary arterial disruption after presumably successful percutaneous transluminal coronary angioplasty for angina pectoris, 909

Diagnostic implications for myocardial ischemia of the circadian variation of the onset of chest pain, 998

Dissolution of angiographically detected intracoronary thrombus for unstable angina pectoris after aspirin therapy, 728

Effect of oral levodopa and carbidopa on coronary spasm in variant angina pectoris, 489

Effect of propranolol and verapamil on oxygen utilization, acidosis and fatigue during exercise in stable angina pectoris, 249

Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471

Effects of successful percutaneous transluminal coronary angioplasty on global and regional left ventricular function in unstable angina pectoris, 993

Findings from long-term electrocardiographic monitoring of patients with variant angina in a coronary care unit, 36

Mechanism of isoproterenol-induced angina pectoris in patients with obstructive hypertrophic cardiomyopathy and normal coronary arteries, 667

Mechanisms of arrhythmias accompanying ST-segment depression on ambulatory monitoring in stable angina pectoris, 1246

Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 503

Prevention of tolerance to nitroglycerin patches by overnight removal, 271

Prognostic significance and beneficial effect of diltiazem on the incidence of early recurrent ischemia after non-Q-wave myocardial infarction: results from the multicenter diltiazem reinfarction study, 203

Recovery of systolic and diastolic left ventricular function after a 60-second coronary arterial occlusion during percutaneous transluminal coronary angioplasty for angina pectoris, 460

Relative roles of preload increase and coronary constriction in ergonovine-induced myocardial ischemia in stable angina pectoris, 238

Sir William Osler's angina pectoris and other disorders, 175

The effects of glucose on myocardial substrate utilization in acute myocardial infarction or angina pectoris, 947

Usefulness of Holter monitoring to improve the sensitivity of exercise testing in determining the degree of myocardial revascularization after coronary artery bypass grafting for stable angina pectoris, 40

Usefulness of twice-daily isosorbide-5-mononitrate in preventing development of tolerance in angina pectoris, 477

Angiography

Angiographic findings when chest pain recurs after successful percutaneous transluminal coronary angioplasty, 792

Clinical and angiographic features of coronary artery disease after chest irradiation, 1020

Coronary angiographic findings associated with U-wave inversion during coronary artery spasm, 188

Correlation of continuous-wave Doppler assessment of chronic aortic regurgitation with hemodynamics and angiography, 852

Defibrillation of high-risk patients during coronary angiography using self-adhesive, preapplied electrode pads, 380

Failure of angiography to diagnose

- thermal perforation complicating laser angioplasty in a rabbit, 751
- Refining the criteria for pulsed Doppler diagnosis of mitral regurgitation by comparison with left ventricular angiography, 663
- Angiography, digital**
- Assessment of coronary flow reserve using digital angiography before and after successful percutaneous transluminal coronary angioplasty, 61
- Variability of quantitative digital subtraction coronary angiography before and after percutaneous transluminal coronary angioplasty, 55
- Angioplasty, percutaneous transluminal coronary**
- Acute occlusion following successful percutaneous transluminal coronary angioplasty (LE), 1217
- Angiographic findings when chest pain recurs after successful percutaneous transluminal coronary angioplasty, 792
- Angiographic follow-up after multivessel percutaneous transluminal coronary angioplasty, 467
- Angiographic morphology of restenosis after percutaneous transluminal coronary angioplasty, 50
- Assessment of coronary flow reserve using digital angiography before and after successful percutaneous transluminal coronary angioplasty, 61
- Combined coronary angioplasty and aortic valvuloplasty, 1184
- Delayed clinical evidence of coronary arterial disruption after presumably successful percutaneous transluminal coronary angioplasty for angina pectoris, 909
- Double long-wire technique for percutaneous transluminal coronary angioplasty for narrowings at major bifurcations, 907
- Early results, complications and restenosis rates after multilesion and multivessel percutaneous transluminal coronary angioplasty, 788
- Effect of nicardipine on determinants of myocardial ischemia occurring during acute coronary occlusion produced by percutaneous transluminal coronary angioplasty, 267
- Effects of successful percutaneous transluminal coronary angioplasty on global and regional left ventricular function in unstable angina pectoris, 993
- Holter monitoring before, during and after percutaneous transluminal coronary angioplasty for evaluation of high-resolution trend recordings of Leads CM₅ and CC₅ for ST-segment analysis, 796
- In vivo assessment of vascular dilatation during percutaneous transluminal coronary angioplasty, 988
- Late angiographic follow-up after successful coronary arterial thrombolysis and angioplasty during acute myocardial infarction, 210
- Left main coronary artery stenosis as a late complication of percutaneous transluminal coronary angioplasty, 1183
- Nonoperative management of aortocoronary saphenous vein graft rupture during percutaneous transluminal coronary angioplasty, 377
- Percutaneous transluminal coronary angioplasty of a bifurcation narrowing using the kissing wire monorail balloon technique, 375
- Radiation exposure during diagnostic catheterization and single- and double-vessel percutaneous transluminal coronary angioplasty, 1401
- Recovery of systolic and diastolic left ventricular function after a 60-second coronary arterial occlusion during percutaneous transluminal coronary angioplasty for angina pectoris, 460
- Retained percutaneous transluminal coronary angioplasty equipment components and their management, 1260
- Role of percutaneous transluminal coronary angioplasty in acute myocardial infarction, 185
- Variability of quantitative digital subtraction coronary angiography before and after percutaneous transluminal coronary angioplasty, 55
- Angioplasty, thermal**
- Electrical thermal angioplasty: catheter design features, in vitro tissue ablation studies and in vivo experimental findings, 1117
- Angiotensin**
- Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
- Animal studies**
- Dilatotic abnormalities of postischemic "stunned" myocardium, 1211
- Failure of angiography to diagnose thermal perforation complicating laser angioplasty in a rabbit, 751
- Anorexia nervosa**
- Leaflet to left ventricular size disproportion and prolapse of a structurally normal mitral valve in anorexia nervosa, 911
- Antiarrhythmic therapy**
- See also Arrhythmias
- Effectiveness of amiodarone on ventricular arrhythmias during and after acute myocardial infarction, 967
- Efficacy of recainam, a new antiarrhythmic drug, for control of ventricular arrhythmias, 281
- Spontaneous variability in the frequency of ventricular premature complexes over prolonged intervals and implications for antiarrhythmic treatment, 608
- Success of chronic defibrillation and the role of antiarrhythmic drugs with the automatic implantable cardioverter/defibrillator, 1061
- Anticoagulation**
- Effects of anticoagulation on recurrent systemic emboli in mitral stenosis, 1191
- Aorta, ascending**
- Cross-sectional and pulsed Doppler echocardiographic features of anomalous origin of right pulmonary artery from the ascending aorta, 921
- Aorta, thoracic**
- Magnetic resonance imaging of the thoracic aorta, 358
- Aortic aneurysm**
- Magnetic resonance imaging of the thoracic aorta, 358
- Usefulness of computed tomography in preoperative assessment of resection after ascending aortic aneurysm resection or after cardiac ventricle to pulmonary conduit insertion, 739
- Aortic balloon valvuloplasty**
- Comments from a cardiovascular surgeon on mitral and aortic balloon valvuloplasty (LE), 1218
- Aortic coarctation**
- Brachiocephalic arterial stenosis associated with atypical aortic coarctation, 1202
- Aortic dissection**
- Magnetic resonance imaging of the thoracic aorta, 358
- Aortic regurgitation**
- See also Aortic valve
- Correlation of continuous-wave Doppler assessment of chronic aortic regurgitation with hemodynamics and angiography, 852
- Doppler echocardiographic study of the frequency and severity of aortic regurgitation in hypertrophic cardiomyopathy, 1143
- Effect of aortic regurgitation on the assessment of mitral valve orifice area by Doppler pressure half-time in mitral stenosis, 322
- Frequency of myxomatous degeneration of the aortic valve as a cause of isolated aortic regurgitation severe enough to warrant aortic valve replacement, 1194
- Long-term follow-up after aortic valvuloplasty and defect closure in ventricular septal defect with aortic regurgitation, 890
- Aortic rupture**
- Fatal aortic rupture during percutaneous balloon valvuloplasty for valvular aortic stenosis, 733
- Aortic stenosis**
- Calcific valvular aortic stenosis with and without mitral annular calcium, 865
- Correlation of prevalence and severity of valvular aortic stenosis determined by continuous-wave Doppler echocardiography with physical signs of aortic stenosis in patients aged 62 to 100 years with aortic systolic ejection murmurs, 399
- Degree of reversibility of left ventricular systolic dysfunction after aortic valve replacement for isolated aortic valve stenosis, 112
- Fatal aortic rupture during percutaneous balloon valvuloplasty for valvular aortic stenosis, 733
- Limited value of balloon dilatation in calcified aortic stenosis in adults: direct observations during open heart surgery, 857
- Aortic systolic ejection murmur**
- Correlation of prevalence and severity of valvular aortic stenosis determined by continuous-wave Doppler echocardiography with physical signs of aortic stenosis in patients aged 62 to 100 years with aortic systolic ejection murmurs, 399
- Aortic valve**
- Calcific valvular aortic stenosis with and without mitral annular calcium, 865
- Cardiac valve replacement for stenotic bicuspid aortic valve in husband and for purely regurgitant prolapsed mitral valve in wife, 401
- Degree of reversibility of left ventricular systolic dysfunction after aortic valve replacement for isolated aortic valve stenosis, 112
- Dilatation of stenotic aortic valves through a temporary vascular prosthesis on the subclavian artery, 1193

- Frequency of myxomatous degeneration of the aortic valve as a cause of isolated aortic regurgitation severe enough to warrant aortic valve replacement, 1194
- Late embolic phenomena associated with cloth-covered Starr-Edwards aortic valve prostheses, 914
- Aortic valvuloplasty**
Comparison of hemodynamic results of anterograde versus retrograde percutaneous balloon aortic valvuloplasty, 659
- Arginine vasopressin**
Clinical and hemodynamic correlates of elevated plasma arginine vasopressin after acute myocardial infarction, 1178
- Arrhythmia**
See also Ventricular arrhythmias
Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572
Mechanisms of arrhythmias accompanying ST-segment depression on ambulatory monitoring in stable angina pectoris, 1246
Relation between clinical presentation and induced arrhythmias in the Wolff-Parkinson-White syndrome, 576
The resetting response of ventricular tachycardia to single and double extrastimuli: implications for an excitable gap, 596
- Arteriography**
Coronary arteriography performed by a physician assistant, 784
Left internal mammary artery graft patency demonstrated by bedside retrograde brachial arteriography, 191
Temporary pacemaker use during coronary arteriography, 1051
- Aspirin therapy**
Dissolution of angiographically detected intracoronary thrombus for unstable angina pectoris after aspirin therapy, 728
- Asynchrony**
Components of left ventricular dysfunction discriminated noninvasively beat by beat, 1123
- Atenolol**
Comparison of carvedilol and atenolol for angina pectoris, 499
Comparison of diltiazem and atenolol in young, physically active men with essential hypertension, 1092
Exercise capacity and hemodynamics in persons aged 20 to 50 years with systemic hypertension treated with diltiazem and atenolol, 832
- Atherosclerosis**
See also Coronary artery disease
Association between the severity of diabetes mellitus and coronary arterial atherosclerosis, 1015
Electrical thermal angioplasty: catheter design features, in vitro tissue ablation studies and in vivo experimental findings, 1117
Failure of angiography to diagnose thermal perforation complicating laser angioplasty in a rabbit, 751
Frequency and significance of mitral annular calcium in hypertrophic cardiomyopathy: analysis of 200 necropsy patients, 877
In vivo assessment of vascular dilatation during percutaneous transluminal coronary angioplasty, 988
Role of lymphostasis in accelerated atherosclerosis in transplanted hearts (LE), 430
- Atrial depolarization**
Importance of left atrial timing in the programming of dual-chamber pacemakers, 566
- Atrial dimension**
Relation between left atrial dimension and duration of atrial fibrillation, 382
- Atrial fibrillation**
Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572
Relation between clinical presentation and induced arrhythmias in the Wolff-Parkinson-White syndrome, 576
Relation between left atrial dimension and duration of atrial fibrillation, 382
Reversibility of tachycardia-induced left ventricular dysfunction after closed-chest catheter ablation of the atrioventricular junction for intractable atrial fibrillation, 1406
Usefulness of atrial fibrillation as a predictor of stroke after isolated coronary artery bypass grafting, 905
- Atrial myxoma**
Thallium-201 imaging for diagnosis of left atrial myxoma, 1206
- Atrial natriuretic peptide**
Atrial natriuretic peptide secretion in mitral stenosis, 396
Atrial natriuretic peptide with artificial pacemakers, 384
Correlation of decreased plasma atrial natriuretic peptide level with left atrial diameter in chronic hemodialysis, 1135
Role of atrial natriuretic polypeptides for exaggerated natriuresis in essential hypertension, 708
- Atrial pacing**
Role of cycle length, cycle length alternans, and electrocardiographic lead in electrical alternans with rapid atrial pacing, 613
- Atrial septal defect**
Doppler echocardiographic confirmation of recurrent atrial septal defect stenosis in infants with mitral valve atresia, 410
Pulmonary arterial thrombosis in secundum atrial septal defect, 1152
- Atrioventricular block**
Cardiac involvement in the Kearns-Sayre syndrome, 385
Reverse alternating Wenckebach periodicity, 90
Two:one atrioventricular block in infants with congenital long QT syndrome, 1409
- Atrioventricular conduction**
Effects of upright posture on anterograde and retrograde atrioventricular conduction in patients with coronary artery disease, mitral valve prolapse or no structural heart disease, 625
- Atrioventricular delay**
Importance of left atrial timing in the programming of dual-chamber pacemakers, 566
- Atrioventricular junction ***
Reversibility of tachycardia-induced left ventricular dysfunction after closed-chest catheter ablation of the atrioventricular junction for intractable atrial fibrillation, 1406
- Atrioventricular node**
Reverse alternating Wenckebach periodicity, 90
- Atrioventricular septal defect**
Spontaneous closure of the ventricular component of an atrioventricular septal defect, 1203
- Atrioventricular valve**
Spontaneous closure of the ventricular component of an atrioventricular septal defect, 1203
- Atrium, left**
Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572
Mitral regurgitation after cardiac transplantation, 119
- Autonomic nervous system**
Heart rate after coronary artery bypass grafting, 1395
- Autonomic neuropathy**
Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring, 86
Subclinical left ventricular abnormalities in young subjects with long-term type 1 diabetes mellitus detected by digitized M-mode echocardiography, 143
- Balloon angioplasty**
Evaluation of balloon angioplasty of coarctation stenosis by magnetic resonance imaging, 343
- Balloon dilation**
Catheter balloon dilatation for discrete subaortic stenosis in the adult, 403
Limited value of balloon dilatation in calcified aortic stenosis in adults: direct observations during open heart surgery, 857
- Balloon valvuloplasty**
Balloon percutaneous valvuloplasty for stenotic bioprosthetic valves in the mitral position, 736
Balloon valvuloplasty in children with dysplastic pulmonary valves, 405
Comparison of hemodynamic results of anterograde versus retrograde percutaneous balloon aortic valvuloplasty, 659
Fatal aortic rupture during percutaneous balloon valvuloplasty for valvular aortic stenosis, 733
Right ventricular pulsus alternans during acute increase in afterload during balloon pulmonic valvuloplasty, 412
- Bayes theorem**
Sensitivity and specificity of tests: can the "silent majority" speak? 1167
- Bepridil**
Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
- Beta-adrenergic blockade**
Beta blockade in early myocardial infarction (LE), 1215
Comparison of selective (β_1) and nonselective (β_1 and β_2) beta-adrenergic blockade on systemic and coronary hemodynamic findings in angina pectoris, 244
Efficacy of propranolol therapy after acute myocardial infarction related to coronary arterial anatomy and left ventricular function, 976
Electrophysiologic effects of cigarette smoking in patients with and without chronic beta-blockade therapy, 1078
Usefulness of low-level exercise testing

- early after acute myocardial infarction in patients taking beta-blocking agents, 23
- Bezold-Jarish reflex**
Nausea and vomiting during acute myocardial infarction and its relation to infarct size and location, 20
- Bioprostheses**
Balloon percutaneous valvuloplasty for stenotic bioprosthetic valves in the mitral position, 736
Cardiac valve replacement for stenotic bicuspid aortic valve in husband and for purely regurgitant prolapsed mitral valve in wife, 401
- Björk-Shiley prosthesis**
Cardiac valve replacement for stenotic bicuspid aortic valve in husband and for purely regurgitant prolapsed mitral valve in wife, 401
- Blastocystic implantation**
Tetralogy of Fallot in a blastocystic implantation, 1206
- Blood flow**
Assessment of coronary flow reserve using digital angiography before and after successful percutaneous transluminal coronary angioplasty, 61
Effectiveness of vasopressin regulation of coronary blood flow in congestive heart failure secondary to idiopathic dilated or ischemic cardiomyopathy, 390
Magnetic resonance imaging for diagnosis of pulmonary vein stenosis after "correction" of total anomalous pulmonary venous connection, 1199
Number of cardiac cycles required to accurately determine mean velocity of blood flow in the ascending aorta and pulmonary trunk, 746
Transseptal Doppler flow velocity profile in acquired ventricular septal defect in acute myocardial infarction, 372
Variability of quantitative digital subtraction coronary angiography before and after percutaneous transluminal coronary angioplasty, 55
Variable responses of mitral valve motion and flow in systemic hypertension and in idiopathic dilated cardiomyopathy, 363
- Blood flow, fetal**
Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327
Fetal cardiac output estimated by Doppler echocardiography during mid- and late gestation, 338
- Blood pressure**
See also Hypertension
Blood pressure reduction after oral glucose loading and its relation to age, blood pressure and insulin, 1087
Guidelines for the interpretation of the exercise radionuclide ventriculogram for diagnosing coronary artery disease, 1265
Misdiagnosis of systemic hypertension and recommendations for improvement, 1383
Right-to-left interatrial shunting through a patent foramen ovale despite normal intracardiac pressures, 413
- Brachiocephalic artery**
Brachiocephalic arterial stenosis associated with atypical aortic coarctation, 1202
- Bucindolol**
Efficacy of bucindolol in systemic hypertension, 1083
- Bundle branch block**
Influence of underlying coronary artery disease on the natural history and prognosis of exercise-induced left bundle branch block, 1065
- Calcification**
Calcification of healed myocardial infarcts, 28
Calcification of the mural endocardium of the left ventricle complicating the myxomatous mitral valve, 1196
Detection of endocardial calcium in endomyocardial fibrosis by computed tomography, 420
- Calcium, mitral anular**
Calcific valvular aortic stenosis with and without mitral anular calcium, 865
Frequency and significance of mitral anular calcium in hypertrophic cardiomyopathy: analysis of 200 necropsy patients, 877
- Calcium antagonists**
Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 103
Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471
Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
International Society and Federation of Cardiology: working group on classification of calcium antagonists for cardiovascular disease, 630
Monotherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 703
- Caloric expenditure**
Effectiveness of self-monitored, home-based, moderate-intensity exercise training in middle-aged men and women, 66
- Canine studies**
Acute effects of hydralazine and enalapril on contractile function of postischemic "stunned" myocardium, 934
- Captopril**
Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303
Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
- Carbidopa**
Effect of oral levodopa and carbidopa on coronary spasm in variant angina pectoris, 489
- Cardiac arrest**
Cardiac arrest associated with coronary artery spasm, 1397
Features of cardiac arrest episodes with and without acute myocardial infarction in the coronary artery surgery study (CASS), 1219
Prognosis after cardiac arrest due to ventricular tachycardia or ventricular fibrillation associated with acute myocardial infarction (The MILIS Study), 755
- Cardiac catheterization**
Echocardiographic versus cardiac catheterization diagnosis of infants with congenital heart disease requiring cardiac surgery, 351
Success of re-use of cardiac electrode catheters, 807
- Cardiac dysfunction**
Echocardiographic features of idiopathic hemochromatosis, 885
- Cardiac morphology**
Identification and analysis of left atrial isomerism, 1157
- Cardiac output**
Cardiovascular effects of vasoactive intestinal peptide in healthy subjects, 1356
Echo Doppler assessment of cardiac output and its relation to growth in normal infants, 1112
- Cardiac size**
Maximum oxygen uptake and cardiac size and function in twins, 1362
- Cardiac transplantation**
Cardiorespiratory response to early exercise testing after orthotopic cardiac transplantation, 926
Diagnostic applicability of magnetic resonance imaging in assessing human cardiac allograft rejection, 130
Mitral regurgitation after cardiac transplantation, 119
Potential for reversibility of pulmonary vascular obstructive disease after cardiac transplantation, 1134
Reply to: Potential for reversibility of pulmonary vascular obstructive disease after cardiac transplantation, 1134
Role of lymphostasis in accelerated atherosclerosis in transplanted hearts (LE), 430
- Cardiomyopathy**
Effectiveness of vasopressin regulation of coronary blood flow in congestive heart failure secondary to idiopathic dilated or ischemic cardiomyopathy, 390
Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654
Embolization of a large left ventricular thrombus during two-dimensional and color flow Doppler examination in idiopathic dilated cardiomyopathy, 402
Indecanide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584
Variable responses of mitral valve motion and flow in systemic hypertension and in idiopathic dilated cardiomyopathy, 363
- Cardiomyopathy, peripartum**
Longitudinal changes in left ventricular architecture and function in peripartum cardiomyopathy, 871
- Cardiorespiratory response**
Cardiorespiratory response to early exercise testing after orthotopic cardiac transplantation, 926
- Cardiovascular effects**
Cardiovascular effects of vasoactive intestinal peptide in healthy subjects, 1356
- Cardioversion**
Success of chronic defibrillation and the role of antiarrhythmic drugs with the automatic implantable cardioverter/defibrillator, 1061
- Carotid sinus syndrome**
Value of programmed ventricular stimulation in presumed carotid sinus syndrome, 1073

- Carvedilol**
Comparison of carvedilol and atenolol for angina pectoris, 499
- Catecholamines**
Heterogeneous myocardial catecholamine concentrations in patients with congestive heart failure, 316
- Catheter ablation**
Is catheter ablation on target? 1387
Reversibility of tachycardia-induced left ventricular dysfunction after closed-chest catheter ablation of the atrioventricular junction for intractable atrial fibrillation, 1406
- Catheterization**
Acute complications of catheter therapy for congenital heart disease, 679
Radiation exposure during diagnostic catheterization and single- and double-vessel percutaneous transluminal coronary angioplasty, 1401
- Catheters**
Acute complications of catheter therapy for congenital heart disease, 679
Double long-wire technique for percutaneous transluminal coronary angioplasty for narrowings at major bifurcations, 907
Electrical thermal angioplasty: catheter design features, in vitro tissue ablation studies and in vivo experimental findings, 1117
Percutaneous transluminal coronary angioplasty of a bifurcation narrowing using the kissing wire monorail balloon technique, 375
Success of re-use of cardiac electrode catheters, 807
Use of infusion catheter in acute left main coronary arterial occlusion, 191
- Cellular telephone transmission**
Cellular telephone transmission of 12-lead electrocardiograms from ambulance to hospital, 715
- Chest irradiation**
Clinical and angiographic features of coronary artery disease after chest irradiation, 1020
- Chest pain**
Diagnostic implications for myocardial ischemia of the circadian variation of the onset of chest pain, 998
- Children**
See also Pediatric cardiology
Balloon valvuloplasty in children with dysplastic pulmonary valves, 405
Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692
Genesis of vibratory functional murmurs, 1198
Nonutility of cineurograms in children with congenital heart disease, 684
Potential for reversibility of pulmonary vascular obstructive disease after cardiac transplantation, 1134
Reply to: Potential for reversibility of pulmonary vascular obstructive disease after cardiac transplantation, 1134
Revision of pediatric endomyocardial biopsy technique, 368
- Cholesterol**
Changes in total cholesterol and high-density lipoprotein cholesterol in men after coronary artery bypass grafting, 1393
Clinical and angiographic features of coronary artery disease after chest irradiation, 1020
- Cigarette smoking**
See also Smoking
Electrophysiologic effects of cigarette smoking in patients with and without chronic beta-blockade therapy, 1078
Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking (LE), 1215
- Cineurography**
Nonutility of cineurograms in children with congenital heart disease, 684
- Circadian variation**
Circadian variation in occurrence of transient overt and silent myocardial ischemia in chronic stable angina and comparison with Prinzmetal angina in men, 494
Diagnostic implications for myocardial ischemia of the circadian variation of the onset of chest pain, 998
- Circulation**
Importance of coronary collateral circulation for kinetics of serum creatine kinase in acute myocardial infarction, 446
Usefulness of twice-daily isosorbide-5-mononitrate in preventing development of tolerance in angina pectoris, 477
- Coarctation**
Evaluation of balloon angioplasty of coarctation stenosis by magnetic resonance imaging, 343
- Collagen biosynthesis**
Effects of methylprednisolone on collagen biosynthesis in healing acute myocardial infarction, 424
- Color flow jets**
Technical and biologic sources of variability in the mapping of aortic, mitral and tricuspid color flow jets, 847
- Conduction**
Calcific valvular aortic stenosis with and without mitral annular calcium, 865
Histopathologic studies of the conduction system in marked left-axis deviation, 95
- Congenital heart disease**
Acute complications of catheter therapy for congenital heart disease, 679
Echocardiographic versus cardiac catheterization diagnosis of infants with congenital heart disease requiring cardiac surgery, 351
Echo Doppler assessment of cardiac output and its relation to growth in normal infants, 1112
Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692
Nonutility of cineurograms in children with congenital heart disease, 684
Return of plasma norepinephrine to normal after resolution of congestive heart failure in congenital heart disease, 1411
Reverse alternating Wenckebach periodicity, 90
- Congestive heart failure**
Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroprusside, 647
Development of congestive heart failure and alterations in left ventricular function in patients with sustained ventricular tachyarrhythmias treated with amiodarone, 276
Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329
Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
DPI 201-106 for severe congestive heart failure, 1334
Effectiveness of vasopressin regulation of coronary blood flow in congestive heart failure secondary to idiopathic dilated or ischemic cardiomyopathy, 390
Effect of oral milrinone on end-systolic relations in patients with severe congestive heart failure, 842
Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654
Enhanced metabolic vasodilation secondary to diuretic therapy in decompensated congestive heart failure secondary to coronary artery disease, 107
Heterogeneous myocardial catecholamine concentrations in patients with congestive heart failure, 316
Identification of normal neurohormonal activity in mild congestive heart failure and stimulating effect of upright posture and diuretics, 1322
³¹P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure, 309
Return of plasma norepinephrine to normal after resolution of congestive heart failure in congenital heart disease, 1411
Severe congestive heart failure in newborns due to giant cutaneous hemangiomas, 392
Why do the kidneys release renin in patients with congestive heart failure? A nephrocentric view of converting-enzyme inhibition, 179
- Contractile function**
Acute effects of hydralazine and enalapril on contractile function of postischemic "stunned" myocardium, 934
- Contractility**
Cardiovascular effects of vasoactive intestinal peptide in healthy subjects, 1356
Degree of reversibility of left ventricular systolic dysfunction after aortic valve replacement for isolated aortic valve stenosis, 112
Effect of intracoronary injections of sonicated microbubbles on left ventricular contractility, 166
Enhanced left ventricular systolic performance at high altitude during operation Everest II, 137
Hemodynamic hypertrophied left ventricular patterns in systemic hypertension, 1317
- Contrast studies**
Contrast perfusion echocardiography: distribution and reproducibility of myocardial contrast enhancement in coronary artery disease, 538
Detection of intracardiac left-to-right shunting in adults: a prospective analysis of the variability of the standard indocyanine green technique

- in patients without shunting, 355
- Effect of intracoronary injections of sonicated microbubbles on left ventricular contractility, 166
- Left internal mammary artery graft patency demonstrated by bedside retrograde brachial arteriography, 191
- Converting enzyme inhibition**
- Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303
- Coronary arteries**
- Digital two-dimensional echocardiographic imaging of the proximal left anterior descending coronary artery, 1254
- Electrocardiographic differentiation of occlusion of the left circumflex versus the right coronary artery as a cause of inferior acute myocardial infarction, 456
- Intravenous streptokinase-mediated thrombolysis of acute occlusion of the left main coronary artery, 1403
- Mechanism of isoproterenol-induced angina pectoris in patients with obstructive hypertrophic cardiomyopathy and normal coronary arteries, 667
- Coronary artery bypass grafting**
- See also Surgery
- Changes in total cholesterol and high-density lipoprotein cholesterol in men after coronary artery bypass grafting, 1393
- Comparison of morphologic changes and luminal sizes of saphenous vein and internal mammary artery after simultaneous implantation for coronary arterial bypass grafting, 193
- Heart rate after coronary artery bypass grafting, 1395
- Rupture of the ventricular septum or left ventricular free wall from acute myocardial infarction early after coronary artery bypass grafting, 374
- Usefulness of atrial fibrillation as a predictor of stroke after isolated coronary artery bypass grafting, 905
- Usefulness of thromboendarterectomy in association with coronary artery bypass grafting, 1025
- Value of exercise testing in determining the risk classification and the response to coronary artery bypass grafting in three-vessel coronary artery disease: a report from the coronary artery surgery study (CASS) registry, 262
- Coronary artery disease**
- Angiographic morphology of restenosis after percutaneous transluminal coronary angioplasty, 50
- Assessment of coronary flow reserve using digital angiography before and after successful percutaneous transluminal coronary angioplasty, 61
- Circulating aggregated platelets in coronary artery disease, 534
- Clinical and angiographic features of coronary artery disease after chest irradiation, 1020
- Comparison of exercise-positive with recovery-positive treadmill graded exercise tests, 544
- Contrast perfusion echocardiography: distribution and reproducibility of myocardial contrast enhancement in coronary artery disease, 538
- Day-to-day variability of myocardial ischemic episodes in coronary artery disease, 1003
- Development and use of the stethoscope in diagnosing cardiac disease, 1378
- Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
- Early precordial ST-segment depression due to isolated acute right or left circumflex coronary artery occlusion, 726
- Effects of titrated beta blockade (metoprolol) on silent myocardial ischemia in ambulatory patients with coronary artery disease, 519
- Effects of upright posture on anterograde and retrograde atrioventricular conduction in patients with coronary artery disease, mitral valve prolapse or no structural heart disease, 625
- Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
- Electrophysiologic predictors of long-term clinical outcome with amiodarone for refractory ventricular tachycardia secondary to coronary artery disease, 293
- Enhanced metabolic vasodilation secondary to diuretic therapy in decompensated congestive heart failure secondary to coronary artery disease, 107
- Factors affecting exercise left ventricular performance in patients free of obstructive coronary artery disease, 1173
- Guidelines for the interpretation of the exercise radionuclide ventriculogram for diagnosing coronary artery disease, 1265
- Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring, 86
- Hemodynamic profile of patients with acute myocardial infarction at risk of infarct expansion, 5
- Hospital and long-term survival of patients with acute pulmonary edema associated with coronary artery disease, 33
- Indecainide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584
- Influence of the cycle length of basic drive on induction of sustained ventricular tachycardia associated with coronary artery disease, 1306
- Influence of underlying coronary artery disease on the natural history and prognosis of exercise-induced left bundle branch block, 1065
- Major depressive disorder in coronary artery disease, 1273
- Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking (LE), 1215
- Prognosis of symptomatic coronary artery disease in young adults aged 40 years or less, 1269
- Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease, 778
- Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men, 1036
- Role of extrastimulus prematurity and intraventricular conduction time in inducing ventricular tachycardia or ventricular fibrillation secondary to coronary artery disease, 590
- Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- Systemic effects and safety of intravenous dipyridamole in elderly patients with suspected coronary artery disease, 1399
- Usefulness of low-level exercise testing early after acute myocardial infarction in patients taking beta-blocking agents, 23
- Usefulness of residual ischemic myocardium within prior infarct zone for identifying patients at high risk late after acute myocardial infarction, 15
- Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 771
- Usefulness of ST-segment depression as a sign of coronary artery disease when confined to the postexercise recovery period, 1405
- Validation of a real-time electrocardiographic monitor for detection of myocardial ischemia secondary to coronary artery disease, 525
- Value of exercise testing in determining the risk classification and the response to coronary artery bypass grafting in three-vessel coronary artery disease: a report from the coronary artery surgery study (CASS) registry, 262
- Coronary artery spasm**
- See also Angina pectoris
- Cardiac arrest associated with coronary artery spasm, 1397
- Coronary angiographic findings associated with U-wave inversion during coronary artery spasm, 188
- Effect of oral levodopa and carbidopa on coronary spasm in variant angina pectoris, 489
- Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721
- Simultaneous multivessel coronary artery spasm demonstrated by quantitative analysis of thallium-201 single photon emission computed tomography, 1009
- Coronary artery stenosis**
- Left main coronary artery stenosis as a late complication of percutaneous transluminal coronary angioplasty, 1183
- Coronary Artery Surgery Study (CASS)**
- Survival of black persons compared with white persons in the coronary artery surgery study (CASS), 513
- Coronary care unit**
- Clinical characteristics and natural history of patients with acute myocardial infarction sent home from the emergency room, 219
- Coronary sinus**
- Size of coronary sinus at necropsy in subjects without cardiac disease and in patients with various cardiac conditions, 1418

Cor triatriatum dexter

Identification of cor triatriatum dexter by two-dimensional echocardiography, 409

Cough

Impaired heart rate responses to cough and deep breathing in elderly patients with unexplained syncope, 1368

Creatine kinase

Comparison of early myocardial technetium-99m pyrophosphate uptake to early peaking of creatine kinase and creatine kinase-MB as indicators of early reperfusion in acute myocardial infarction, 762

Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m pyrophosphate, 952

Importance of coronary collateral circulation for kinetics of serum creatine kinase in acute myocardial infarction, 446

Influence of reperfusion on serum concentrations of cytosolic creatine kinase and structural myosin light chains in acute myocardial infarction, 440

Peak creatine kinase as a measure of reperfusion in acute myocardial infarction (LE), 1216

Cycle length

Influence of the cycle length of basic drive on induction of sustained ventricular tachycardia associated with coronary artery disease, 1306

Role of cycle length, cycle length alternans, and electrocardiographic lead in electrical alternans with rapid atrial pacing, 613

Role of extrastimulus site and tachycardia cycle length in inducibility of atrial preexcitation by premature ventricular stimulation during reciprocating tachycardia, 811

Death, sudden

Circadian variation in the incidence of sudden cardiac death in the Framingham Heart Study population, 801

Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring, 86

Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men, 1036

Relation of sudden death in pure mitral regurgitation, with and without mitral valve prolapse, to repetitive ventricular arrhythmias and right and left ventricular ejection fractions, 397

Deep breathing

Impaired heart rate responses to cough and deep breathing in elderly patients with unexplained syncope, 1368

Defibrillation

Defibrillation of high-risk patients during coronary angiography using self-adhesive, preapplied electrode pads, 380

Intraoperative comparison of sequential-pulse and single-pulse defibrillation in candidates for automatic implantable defibrillators, 618

Defibrillators

Early experiences with the portable automatic external defibrillator in the home and public places, 732

Intraoperative comparison of sequential-pulse and single-pulse defibrillation in candidates for automatic implantable defibrillators, 618

Success of chronic defibrillation and the role of antiarrhythmic drugs with the automatic implantable cardioverter/defibrillator, 1061

Delayed potentials

Changes in ventricular activation time on the signal-averaged electrocardiogram in the first year after acute myocardial infarction, 580

Demographic studies

Survival of black persons compared with white persons in the coronary artery surgery study (CASS), 513

Depression

Major depressive disorder in coronary artery disease, 1273

Diabetes mellitus

Association between the severity of diabetes mellitus and coronary arterial atherosclerosis, 1015

Subclinical left ventricular abnormalities in young subjects with long-term type 1 diabetes mellitus detected by digitized M-mode echocardiography, 143

Diagnostic testing

Development and use of the stethoscope in diagnosing cardiac disease, 1378
Sensitivity and specificity of tests: can the "silent majority" speak? 1167
The silent treatment, 1170

Diastole

Diastolic abnormalities of postischemic "stunned" myocardium, 1211

Left ventricular systolic and diastolic function after total correction of tetralogy of Fallot, 1148

Digital studies

Digital two-dimensional echocardiographic imaging of the proximal left anterior descending coronary artery, 1254

Digoxin

Indecainide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584

Dilatation

Dilatation of stenotic aortic valves through a temporary vascular prosthesis on the subclavian artery, 1193

Diltiazem

Comparison of diltiazem and atenolol in young, physically active men with essential hypertension, 1092
Effect of diltiazem overdose, 932

Effects of diltiazem alone and combined with mefruside on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 826

Exercise capacity and hemodynamics in persons aged 20 to 50 years with systemic hypertension treated with diltiazem and atenolol, 832

Prognostic significance and beneficial effect of diltiazem on the incidence of early recurrent ischemia after non-Q-wave myocardial infarction: results from the multicenter diltiazem reinfarction study, 203

Dipyridamole

Systemic effects and safety of intravenous dipyridamole in elderly patients with suspected coronary artery disease, 1399
Usefulness of a high-dose dipyridamole-

echocardiography test for diagnosis of syndrome X, 508

Disopyramide

Antiarrhythmic efficacy of penticainide and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068

Diuretic therapy

Diuretics, serum potassium and ventricular arrhythmias in the multiple risk factor intervention trial, 548

Do diuretics cause mitral annular calcium? (LE), 1216

Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654

Enhanced metabolic vasodilation secondary to diuretic therapy in decompensated congestive heart failure secondary to coronary artery disease, 107

Identification of normal neurohormonal activity in mild congestive heart failure and stimulating effect of upright posture and diuretics, 1322

Monotherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 703

Dobutamine

Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroglycerin, 647

Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329

Dopamine

Heterogeneous myocardial catecholamine concentrations in patients with congestive heart failure, 316

Doppler ultrasound

See also Echocardiography

Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327

Correlation of continuous-wave Doppler assessment of chronic aortic regurgitation with hemodynamics and angiography, 852

Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral annular calcium, 1189

Correlation of prevalence and severity of valvular aortic stenosis determined by continuous-wave Doppler echocardiography with physical signs of aortic stenosis in patients aged 62 to 100 years with aortic systolic ejection murmurs, 399

Cross-sectional and pulsed Doppler echocardiographic features of anomalous origin of right pulmonary artery from the ascending aorta, 921

Doppler echocardiographic confirmation of recurrent atrial septal defect stenosis in infants with mitral valve atresia, 410

Doppler echocardiographic findings in rheumatic tricuspid stenosis, 1414

- Doppler echocardiographic study of the frequency and severity of aortic regurgitation in hypertrophic cardiomyopathy, 1143
- Echo Doppler assessment of cardiac output and its relation to growth in normal infants, 1112
- Effect of aortic regurgitation on the assessment of mitral valve orifice area by Doppler pressure half-time in mitral stenosis, 322
- Embolization of a large left ventricular thrombus during two-dimensional and color flow Doppler examination in idiopathic dilated cardiomyopathy, 402
- Fetal cardiac output estimated by Doppler echocardiography during mid- and late gestation, 338
- Guidelines for optimal physician training in echocardiography. Recommendations of the American Society of Echocardiography Committee for physician training in echocardiography, 158
- Intraoperative Doppler color flow mapping for assessment of valve repair for mitral regurgitation, 333
- Refining the criteria for pulsed Doppler diagnosis of mitral regurgitation by comparison with left ventricular angiography, 663
- Spontaneous closure of uncomplicated ventricular septal defect, 674
- Transseptal Doppler flow velocity profile in acquired ventricular septal defect in acute myocardial infarction, 372
- DPI 201-106**
- DPI 201-106 for severe congestive heart failure, 1334
- Dyskinesia**
- Components of left ventricular dysfunction discriminated noninvasively beat by beat, 1123
- Echocardiography**
- See also M-mode and 2-dimensional echocardiography, Doppler ultrasound
- Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572
- Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327
- Contrast perfusion echocardiography: distribution and reproducibility of myocardial contrast enhancement in coronary artery disease, 538
- Detection of caval obstruction by magnetic resonance imaging after intraatrial repair of transposition of the great arteries, 688
- Echocardiographic features of idiopathic hemochromatosis, 685
- Echocardiographic versus cardiac catheterization diagnosis of infants with congenital heart disease requiring cardiac surgery, 351
- Effect of intracoronary injections of sonicated microbubbles on left ventricular contractility, 166
- Guidelines for optimal physician training in echocardiography. Recommendations of the American Society of Echocardiography Committee for physician training in echocardiography, 158
- Guidelines for physician training in pediatric echocardiography. Recommendations of the Society of Pediatric Echocardiography Committee on physician training, 164
- Influence of the orientation of myocardial fibers on echocardiographic images, 147
- Maximum oxygen uptake and cardiac size and function in twins, 1362
- Usefulness of a high-dose dipyridamole-echocardiography test for diagnosis of syndrome X, 508
- Usefulness of echocardiographic evidence of pericardial effusion and mitral regurgitation during the acute stage in predicting development of coronary arterial aneurysms in the late stage of Kawasaki disease, 76
- Ejection fraction**
- Development of congestive heart failure and alterations in left ventricular function in patients with sustained ventricular tachyarrhythmias treated with amiodarone, 276
- Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
- Guidelines for the interpretation of the exercise radionuclide ventriculogram for diagnosing coronary artery disease, 1265
- Relation of sudden death in pure mitral regurgitation, with and without mitral valve prolapse, to repetitive ventricular arrhythmias and right and left ventricular ejection fractions, 397
- Rest and exercise left ventricular ejection fraction before and after therapy in young adults with hyperthyroidism and hypothyroidism, 929
- Usefulness of ejection fraction response to exercise one month after acute myocardial infarction in predicting coronary anatomy and prognosis, 225
- Elderly patients**
- Antihypertensive effect of sustained-release isosorbide dinitrate for isolated systolic systemic hypertension in the elderly, 99
- Comparison in young and elderly patients of pharmacodynamics and disposition of labetalol in systemic hypertension, 697
- Correlation of complex ventricular arrhythmias detected by ambulatory electrocardiographic monitoring with echocardiographic left ventricular hypertrophy in persons older than 62 years in a long-term health care facility, 730
- Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral annular calcium, 1189
- Correlation of prevalence and severity of valvular aortic stenosis determined by continuous-wave Doppler echocardiography with physical signs of aortic stenosis in patients aged 62 to 100 years with aortic systolic ejection murmurs, 399
- Dilatation of stenotic aortic valves through a temporary vascular prosthesis on the subclavian artery, 1193
- Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 388
- Impaired heart rate responses to cough and deep breathing in elderly patients with unexplained syncope, 1368
- Prevalence of presenting symptoms of recognized acute myocardial infarction and of unrecognized healed myocardial infarction in elderly patients, 1182
- Prognosis in survivors of acute myocardial infarction occurring at age 70 years or older, 971
- Similar efficacy of nitrendipine in young and elderly hypertensive patients, 1096
- Systemic effects and safety of intravenous dipyridamole in elderly patients with suspected coronary artery disease, 1399
- Electrical alternans**
- Role of cycle length, cycle length alternans, and electrocardiographic lead in electrical alternans with rapid atrial pacing, 613
- Electrical stimulation**
- Comparison of the characteristics of nonsustained ventricular tachycardia on Holter monitoring and sustained ventricular tachycardia observed spontaneously or induced by programmed stimulation, 288
- Defibrillation of high-risk patients during coronary angiography using self-adhesive, preapplied electrode pads, 380
- Influence of the cycle length of basic drive on induction of sustained ventricular tachycardia associated with coronary artery disease, 1306
- Role of extrastimulus site and tachycardia cycle length in inducibility of atrial preexcitation by premature ventricular stimulation during reciprocating tachycardia, 811
- The resetting response of ventricular tachycardia to single and double extrastimuli: implications for an excitable gap, 596
- Value of programmed electrical stimulation using a standardized ventricular stimulation protocol in hypertrophic cardiomyopathy, 738
- Value of programmed ventricular stimulation in presumed carotid sinus syndrome, 1073
- Electrocardiography**
- Accuracy of commercial 24-hour electrocardiogram analyzers for quantitation of total and repetitive ventricular arrhythmias, 1299
- Ambulatory monitoring of the digitized electrocardiogram for detection and early warning of transient myocardial ischemia in angina pectoris, 483
- Cellular telephone transmission of 12-lead electrocardiograms from ambulance to hospital, 715
- Changes in ventricular activation time on the signal-averaged electrocardiogram in the first year after acute myocardial infarction, 580
- Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes, 895
- Comparison of exercise-positive with recovery-positive treadmill graded exercise tests, 544
- Effects of analyzed signal duration and phase on the results of fast Fourier

- transform analysis of the surface electrocardiogram in subjects with and without late potentials, 1262
- Electrocardiographic changes in patients with upper abdominal pain admitted to a surgical ward, 1188
- Electrocardiographic differentiation of occlusion of the left circumflex versus the right coronary artery as a cause of inferior acute myocardial infarction, 456
- Findings from long-term electrocardiographic monitoring of patients with variant angina in a coronary care unit, 36
- Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring, 86
- Outcome in suspected acute myocardial infarction with normal or minimally abnormal admission electrocardiographic findings, 766
- Results of signal-averaged electrocardiography and electrophysiologic study in patients with nonsustained ventricular tachycardia after healing of acute myocardial infarction, 80
- Role of cycle length, cycle length alternans, and electrocardiographic lead in electrical alternans with rapid atrial pacing, 613
- Spontaneous variability in the frequency of ventricular premature complexes over prolonged intervals and implications for antiarrhythmic treatment, 608
- Utility of ambulatory electrocardiography in detecting pacemaker dysfunction in the early postimplantation period, 1030
- Validation of a real-time electrocardiographic monitor for detection of myocardial ischemia secondary to coronary artery disease, 525
- Electropharmacology**
- Electropharmacology of flecainide for supraventricular tachycardia without associated structural heart disease, 1055
- Electrophysiology**
- Determinants of hospital cost and length of stay for patients undergoing electrophysiologic testing, 298
- Electrophysiologic effects of cigarette smoking in patients with and without chronic beta-blockade therapy, 1078
- Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692
- Electrophysiologic predictors of long-term clinical outcome with amiodarone for refractory ventricular tachycardia secondary to coronary artery disease, 293
- Influence of the cycle length of basic drive on induction of sustained ventricular tachycardia associated with coronary artery disease, 1306
- Results of signal-averaged electrocardiography and electrophysiologic study in patients with nonsustained ventricular tachycardia after healing of acute myocardial infarction, 80
- Role of extrastimulus prematurity and intraventricular conduction time in inducing ventricular tachycardia or ventricular fibrillation secondary to coronary artery disease, 590
- Role of extrastimulus site and tachycardia cycle length in inducibility of atrial preexcitation by premature ventricular stimulation during reciprocating tachycardia, 811
- Usefulness of electrophysiologic studies in predicting drug efficacy in patients receiving amiodarone (LE), 1218
- Enalapril**
- Acute effects of hydralazine and enalapril on contractile function of postischemic "stunned" myocardium, 934
- Endocardium**
- Calcification of the mural endocardium of the left ventricle complicating the myxomatous mitral valve, 1196
- Endomyocardial biopsy**
- Revision of pediatric endomyocardial biopsy technique, 368
- Endomyocardial fibrosis**
- Detection of endocardial calcium in endomyocardial fibrosis by computed tomography, 420
- End systole**
- Effect of oral milrinone on end-systolic relations in patients with severe congestive heart failure, 842
- Entrainment**
- The resetting response of ventricular tachycardia to single and double extrastimuli: implications for an excitable gap, 596
- Enzyme inhibitors**
- Why do the kidneys release renin in patients with congestive heart failure? A nephrocentric view of converting-enzyme inhibition, 179
- Epidemiologic studies**
- Association between the severity of diabetes mellitus and coronary arterial atherosclerosis, 1015
- Efficacy and tolerance of spironolactone in essential hypertension, 820
- Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men, 1036
- Serial acquisition of data to predict one-year mortality rate after acute myocardial infarction, 451
- Survival of black persons compared with white persons in the coronary artery surgery study (CASS), 513
- Ergonovine**
- Relative roles of preload increase and coronary constriction in ergonovine-induced myocardial ischemia in stable angina pectoris, 238
- Estradiol**
- Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 771
- Ethmozine**
- Comparison of ethmozine to propranolol and the combination for ventricular arrhythmias, 603
- Exercise**
- See also Exercise testing
- Anatomic and functional significance of a hypotensive response during supine exercise radionuclide ventriculography, 1
- Assessment by a microprocessor of adherence to home-based moderate-intensity exercise training in healthy, sedentary middle-aged men and women, 71
- Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes, 895
- Comparison of carvedilol and atenolol for angina pectoris, 499
- Comparison of diltiazem and atenolol in young, physically active men with essential hypertension, 1092
- Effectiveness of self-monitored, home-based, moderate-intensity exercise training in middle-aged men and women, 66
- Effect of propranolol and verapamil on oxygen utilization, acidosis and fatigue during exercise in stable angina pectoris, 249
- Effects of diltiazem alone and combined with mefruside on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 826
- Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471
- Exercise capacity and hemodynamics in persons aged 20 to 50 years with systemic hypertension treated with diltiazem and atenolol, 832
- Factors affecting exercise left ventricular performance in patients free of obstructive coronary artery disease, 1173
- Guidelines for the interpretation of the exercise radionuclide ventriculogram for diagnosing coronary artery disease, 1265
- ³¹P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure, 309
- Rest and exercise left ventricular ejection fraction before and after therapy in young adults with hyperthyroidism and hypothyroidism, 929
- Usefulness of ejection fraction response to exercise one month after acute myocardial infarction in predicting coronary anatomy and prognosis, 225
- Usefulness of twice-daily isosorbide-5-mononitrate in preventing development of tolerance in angina pectoris, 477
- Exercise testing**
- Cardiorespiratory response to early exercise testing after orthotopic cardiac transplantation, 926
- Comparison of exercise-positive with recovery-positive treadmill graded exercise tests, 544
- Effect of eating on thallium-201 myocardial redistribution after myocardial ischemia, 528
- Effect of metoprolol on the submaximal stress test performed early after acute myocardial infarction, 963
- Exercise testing three days after onset of acute myocardial infarction, 958
- Influence of underlying coronary artery disease on the natural history and prognosis of exercise-induced left bundle branch block, 1065
- Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with

- angiographically documented coronary artery disease, 778
- Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- Usefulness of a branching treadmill protocol for evaluation of cardiac functional capacity, 1373
- Usefulness of Holter monitoring to improve the sensitivity of exercise testing in determining the degree of myocardial revascularization after coronary artery bypass grafting for stable angina pectoris, 40
- Usefulness of low-level exercise testing early after acute myocardial infarction in patients taking beta-blocking agents, 23
- Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction, 10
- Value of exercise testing in determining the risk classification and the response to coronary artery bypass grafting in three-vessel coronary artery disease: a report from the coronary artery surgery study (CASS) registry, 262
- Fast Fourier transform analysis**
Effects of analyzed signal duration and phase on the results of fast Fourier transform analysis of the surface electrocardiogram in subjects with and without late potentials, 1282
- Flecainide**
Antiarrhythmic efficacy of penticainide and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068
Inhibition of flecainide absorption by activated charcoal, 753
- Flestolol**
Electropharmacology of flestolol for supraventricular tachycardia without associated structural heart disease, 1055
- Fontan procedure**
Treatment of chronic pleural effusions after the fontan procedure with prednisone, 408
- Framingham Heart Study**
Circadian variation in the incidence of sudden cardiac death in the Framingham Heart Study population, 801
Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study, 560
- From the Editor**
A malpractice dream, 938
China and Chinese cardiology, 201
Japan and Japanese medicine, 427
Publishing manuscripts faster than abstracts, 1133
Some good cardiologic books published in 1987, 1423
The search for the masterful figure, 633
- Functional capacity**
Assessment by a microprocessor of adherence to home-based moderate-intensity exercise training in healthy, sedentary middle-aged men and women, 71
Effectiveness of self-monitored, home-based, moderate-intensity exercise training in middle-aged men and women, 66
- Usefulness of a branching treadmill protocol for evaluation of cardiac functional capacity, 1373
- Genetic studies**
Maximum oxygen uptake and cardiac size and function in twins, 1362
- Gensini, Goffredo**
Goffredo Gensini, MD (1928-1986), 173
- Glucose**
Blood pressure reduction after oral glucose loading and its relation to age, blood pressure and insulin, 1087
The effects of glucose on myocardial substrate utilization in acute myocardial infarction or angina pectoris, 947
- Gynecomastia**
Efficacy and tolerance of spironolactone in essential hypertension, 820
- Headache angina**
Headache angina, 730
- Heart block**
Cardiac involvement in the Kearns-Sayre syndrome, 385
- Heart rate**
Assessment by a microprocessor of adherence to home-based moderate-intensity exercise training in healthy, sedentary middle-aged men and women, 71
Effectiveness of self-monitored, home-based, moderate-intensity exercise training in middle-aged men and women, 66
Findings from long-term electrocardiographic monitoring of patients with variant angina in a coronary care unit, 36
Heart rate after coronary artery bypass grafting, 1395
Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring, 86
Heart rate variability as an index of sympathovagal interaction after acute myocardial infarction, 1239
Impaired heart rate responses to cough and deep breathing in elderly patients with unexplained syncope, 1368
- Hemangiomas**
Severe congestive heart failure in newborns due to giant cutaneous hemangiomas, 392
- Hemodialysis**
Correlation of decreased plasma atrial natriuretic peptide level with left atrial diameter in chronic hemodialysis, 1135
Myocardial calcinosis associated with hemodialysis, 421
Two-dimensional echocardiographic findings in patients on hemodialysis for more than six months, 743
- Hemodynamics**
Clinical and hemodynamic correlates of elevated plasma arginine vasopressin after acute myocardial infarction, 1178
Comparison of hemodynamic results of antegrade versus retrograde percutaneous balloon aortic valvuloplasty, 659
Comparison of selective (β_1) and nonselective (β_1 and β_2) β -adrenergic blockade on systemic and coronary hemodynamic findings in angina pectoris, 244
Comparison of the acute hemodynamic response to intravenous nisoldipine (Bay k 5552) and intravenous nifedipine for left ventricular dysfunction secondary to myocardial infarction, 836
- Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327
Correlation of continuous-wave Doppler assessment of chronic aortic regurgitation with hemodynamics and angiography, 852
Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471
Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
Efficacy of bucindolol in systemic hypertension, 1083
Exercise capacity and hemodynamics in persons aged 20 to 50 years with systemic hypertension treated with diltiazem and atenolol, 832
Hemodynamic and volumetric effects of venodilation with nitroglycerin in chronic mitral regurgitation, 1106
Hemodynamic profile of patients with acute myocardial infarction at risk of infarct expansion, 5
Idiopathic dilated cardiomyopathy: analysis of 152 necropsy patients, 1340
Importance of left atrial timing in the programming of dual-chamber pacemakers, 566
- Hemopericardium**
Fatal rupture of both left ventricular free wall and ventricular septum (double rupture) during acute myocardial infarction: analysis of seven patients studied at necropsy, 722
- High altitude studies**
Enhanced left ventricular systolic performance at high altitude during operation Everest II, 137
- High-density lipoprotein**
Changes in total cholesterol and high-density lipoprotein cholesterol in men after coronary artery bypass grafting, 1393
- Holter monitoring**
Circadian variation in occurrence of transient overt and silent myocardial ischemia in chronic stable angina and comparison with Prinzmetal angina in men, 494
Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes, 895
Comparison of the characteristics of nonsustained ventricular tachycardia on Holter monitoring and sustained ventricular tachycardia observed spontaneously or induced by programmed stimulation, 288
Day-to-day variability of myocardial ischemic episodes in coronary artery disease, 1003
Findings from long-term electrocardiographic monitoring of patients with variant angina in a coronary care unit, 36
Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 503
Usefulness of Holter monitoring to improve the sensitivity of exercise testing in determining the degree of myocardial revascularization after coronary artery bypass grafting for

- stable angina pectoris, 40
- Hormone levels**
Atrial natriuretic peptide with artificial pacemakers, 384
- Hospital cost**
Determinants of hospital cost and length of stay for patients undergoing electrophysiologic testing, 298
- Hydatid cyst**
Hydatid cyst of the right atrium diagnosed by echocardiography, 931
- Hydralazine**
Acute effects of hydralazine and enalapril on contractile function of postischemic "stunned" myocardium, 934
- Hydrochlorothiazide**
Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 103
Monotherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 703
- Hydrogen inhalation**
Detection of intracardiac left-to-right shunting in adults: a prospective analysis of the variability of the standard indocyanine green technique in patients without shunting, 355
- Hypercholesterolemia**
Changes in total cholesterol and high-density lipoprotein cholesterol in men after coronary artery bypass grafting, 1393
- Hyperestrogenemia**
Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 771
- Hyperoxalemia**
Myocardial calcinosis associated with hemodialysis, 421
- Hypertension**
See also Blood pressure, systemic hypertension
Blood pressure reduction after oral glucose loading and its relation to age, blood pressure and insulin, 1087
Comparison of diltiazem and atenolol in young, physically active men with essential hypertension, 1092
Diuretics, serum potassium and ventricular arrhythmias in the multiple risk factor intervention trial, 548
Efficacy and tolerance of spironolactone in essential hypertension, 820
Role of atrial natriuretic polypeptides for exaggerated natriuresis in essential hypertension, 708
Similar efficacy of nitrendipine in young and elderly hypertensive patients, 1096
The low risk hypertensive and coronary woman, 1177
- Hyperthyroidism**
Rest and exercise left ventricular ejection fraction before and after therapy in young adults with hyperthyroidism and hypothyroidism, 929
- Hypertrophic cardiomyopathy**
Doppler echocardiographic study of the frequency and severity of aortic regurgitation in hypertrophic cardiomyopathy, 1143
Frequency and significance of mitral annular calcium in hypertrophic cardiomyopathy: analysis of 200 necropsy patients, 877
Mechanism of isoproterenol-induced angina pectoris in patients with obstructive hypertrophic cardiomyopathy and normal coronary arteries, 867
- Mitral valve replacement in hypertrophic cardiomyopathy: ten-year follow-up in 54 patients, 1416
Occurrence and significance of progressive left ventricular wall thinning and relative cavity dilatation in hypertrophic cardiomyopathy, 123
Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy, 1137
Value of programmed electrical stimulation using a standardized ventricular stimulation protocol in hypertrophic cardiomyopathy, 738
- Hypokalemia**
Diuretics, serum potassium and ventricular arrhythmias in the multiple risk factor intervention trial, 548
- Hypotension**
Anatomic and functional significance of a hypotensive response during supine exercise radionuclide ventriculography, 1
- Hypothyroidism**
Rest and exercise left ventricular ejection fraction before and after therapy in young adults with hyperthyroidism and hypothyroidism, 929
- Idiopathic dilated cardiomyopathy**
Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329
Idiopathic dilated cardiomyopathy: analysis of 152 necropsy patients, 1340
- Idiopathic hemochromatosis**
Echocardiographic features of idiopathic hemochromatosis, 885
- Indecanide**
Indecanide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584
- Indium-111**
Value of indium-111 monoclonal antimyosin antibody for imaging in acute myocardial infarction, 725
- Indocyanine green**
Detection of intracardiac left-to-right shunting in adults: a prospective analysis of the variability of the standard indocyanine green technique in patients without shunting, 355
- Infants**
Doppler echocardiographic confirmation of recurrent atrial septal defect stenosis in infants with mitral valve atresia, 410
Echocardiographic versus cardiac catheterization diagnosis of infants with congenital heart disease requiring cardiac surgery, 351
Echo Doppler assessment of cardiac output and its relation to growth in normal infants, 1112
Identification of cor triatriatum dexter by two-dimensional echocardiography, 409
Imbalance among T-cell subsets in patients with coronary arterial aneurysms in Kawasaki disease, 555
Revision of pediatric endomyocardial biopsy technique, 368
Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346
Two:one atrioventricular block in infants with congenital long QT syndrome, 1409
- Infarct size**
Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m pyrophosphate, 952
Effect of milrinone on acute myocardial infarct size, 422
Hemodynamic profile of patients with acute myocardial infarction at risk of infarct expansion, 5
Nausea and vomiting during acute myocardial infarction and its relation to infarct size and location, 20
- Infective endocarditis**
Frequency and significance of pericardial effusion detected by two-dimensional echocardiography in infective endocarditis, 394
- Inotropy**
Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329
DPI 201-106 for severe congestive heart failure, 1334
- Insulin**
Blood pressure reduction after oral glucose loading and its relation to age, blood pressure and insulin, 1087
- Internal mammary artery**
Comparison of morphologic changes and luminal sizes of saphenous vein and internal mammary artery after simultaneous implantation for coronary arterial bypass grafting, 193
Left internal mammary artery graft patency demonstrated by bedside retrograde brachial arteriography, 191
- International Society and Federation of Cardiology**
International Society and Federation of Cardiology: working group on classification of calcium antagonists for cardiovascular disease, 630
- Ischemia**
Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes, 895
Effect of nicardipine on determinants of myocardial ischemia occurring during acute coronary occlusion produced by percutaneous transluminal coronary angioplasty, 267
Findings from long-term electrocardiographic monitoring of patients with variant angina in a coronary care unit, 36
Headache angina, 730
Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking (LE), 1215
Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease, 778
Prognostic significance and beneficial effect of diltiazem on the incidence of early recurrent ischemia after non-Q-wave myocardial infarction: results from the multicenter diltiazem reinfarction study, 203

- Relative roles of preload increase and coronary constriction in ergonovine-induced myocardial ischemia in stable angina pectoris, 238
- Usefulness of a high-dose dipyridamole-echocardiography test for diagnosis of syndrome X, 508
- Usefulness of residual ischemic myocardium within prior infarct zone for identifying patients at high risk late after acute myocardial infarction, 15
- Isoproterenol**
- Mechanism of isoproterenol-induced angina pectoris in patients with obstructive hypertrophic cardiomyopathy and normal coronary arteries, 667
- Isosorbide dinitrate**
- Antihypertensive effect of sustained-release isosorbide dinitrate for isolated systolic systemic hypertension in the elderly, 99
- Comparison of nifedipine and isosorbide dinitrate when added to maximal propranolol therapy in stable angina pectoris, 256
- Isosorbide-5-mononitrate**
- Usefulness of twice-daily isosorbide-5-mononitrate in preventing development of tolerance in angina pectoris, 477
- Isovolumic relaxation**
- Diastolic abnormalities of postischemic "stunned" myocardium, 1211
- Kawasaki disease**
- Imbalance among T-cell subsets in patients with coronary arterial aneurysms in Kawasaki disease, 555
- Usefulness of echocardiographic evidence of pericardial effusion and mitral regurgitation during the acute stage in predicting development of coronary arterial aneurysms in the late stage of Kawasaki disease, 76
- Kearns-Sayre syndrome**
- Cardiac involvement in the Kearns-Sayre syndrome, 385
- Labetalol**
- Comparison in young and elderly patients of pharmacodynamics and disposition of labetalol in systemic hypertension, 697
- Laser ablation**
- Intraoperative mapping-guided argon laser ablation of supraventricular tachycardia in the Wolff-Parkinson-White syndrome, 196
- Laser angioplasty**
- Failure of angiography to diagnose thermal perforation complicating laser angioplasty in a rabbit, 751
- Late potentials**
- Effects of analyzed signal duration and phase on the results of fast Fourier transform analysis of the surface electrocardiogram in subjects with and without late potentials, 1282
- Leads CM₅, CC₅**
- Holter monitoring before, during and after percutaneous transluminal coronary angioplasty for evaluation of high-resolution trend recordings of Leads CM₅ and CC₅ for ST-segment analysis, 796
- Leeches in medicine**
- Leeching in the twentieth century, 1128
- Left atrial isomerism**
- Identification and analysis of left atrial isomerism, 1157
- Left atrial size**
- Accuracy of nondirected and directed M-mode echocardiography as an estimate of left atrial size, 1208
- Left-axis deviation**
- Histopathologic studies of the conduction system in marked left-axis deviation, 95
- Left ventricular function**
- Comparison of the acute hemodynamic response to intravenous nisoldipine (Bay k 5552) and intravenous nifedipine for left ventricular dysfunction secondary to myocardial infarction, 836
- Components of left ventricular dysfunction discriminated noninvasively beat by beat, 1123
- Degree of reversibility of left ventricular systolic dysfunction after aortic valve replacement for isolated aortic valve stenosis, 112
- Development of congestive heart failure and alterations in left ventricular function in patients with sustained ventricular tachyarrhythmias treated with amiodarone, 276
- Effect of intracoronary injections of sonicated microbubbles on left ventricular contractility, 166
- Effects of early high-dose streptokinase intravenously on left ventricular function in acute myocardial infarction, 435
- Effects of successful percutaneous transluminal coronary angioplasty on global and regional left ventricular function in unstable angina pectoris, 993
- Effects on hemodynamics and left ventricular ejection fraction of intravenous bepridil for impaired left ventricular function secondary to coronary artery disease, 44
- Efficacy of propranolol therapy after acute myocardial infarction related to coronary arterial anatomy and left ventricular function, 976
- Enhanced left ventricular systolic performance at high altitude during operation Everest II, 137
- Factors affecting exercise left ventricular performance in patients free of obstructive coronary artery disease, 1173
- Left ventricular systolic and diastolic function after total correction of tetralogy of Fallot, 1148
- Longitudinal changes in left ventricular architecture and function in peripartum cardiomyopathy, 871
- Occurrence and significance of progressive left ventricular wall thinning and relative cavity dilatation in hypertrophic cardiomyopathy, 123
- Recovery of systolic and diastolic left ventricular function after a 60-second coronary arterial occlusion during percutaneous transluminal coronary angioplasty for angina pectoris, 460
- Relative roles of preload increase and coronary constriction in ergonovine-induced myocardial ischemia in stable angina pectoris, 238
- Rest and exercise left ventricular ejection fraction before and after therapy in young adults with hyperthyroidism and hypothyroidism, 929
- Reversibility of tachycardia-induced left ventricular dysfunction after closed-chest catheter ablation of the atrioventricular junction for intractable atrial fibrillation, 1406
- Sources of subjective variability in the assessment of left ventricular regional wall motion from contrast ventriculograms, 153
- Subclinical left ventricular abnormalities in young subjects with long-term type 1 diabetes mellitus detected by digitized M-mode echocardiography, 143
- Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction, 10
- Left ventricular hypertrophy**
- Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 103
- Correlation of complex ventricular arrhythmias detected by ambulatory electrocardiographic monitoring with echocardiographic left ventricular hypertrophy in persons older than 62 years in a long-term health care facility, 730
- Hemodynamic hypertrophied left ventricular patterns in systemic hypertension, 1317
- Influence of underlying coronary artery disease on the natural history and prognosis of exercise-induced left bundle branch block, 1065
- Left ventricular hypertrophy in end-stage renal disease on peritoneal dialysis, 418
- Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy, 1137
- Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study, 560
- Left ventricular mass**
- Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study, 560
- Left ventricular size**
- Leaflet to left ventricular size disproportion and prolapse of a structurally normal mitral valve in anorexia nervosa, 911
- Left ventricular volume**
- Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654
- Letters to the Editor**
- Acute occlusion following successful percutaneous transluminal coronary angioplasty, 1217
- Beta blockade in early myocardial infarction, 1215
- Comments from a cardiovascular surgeon on mitral and aortic balloon valvuloplasty, 1218
- Do diuretics cause mitral annular calcium? 1216
- Peak creatine kinase as a measure of reperfusion in acute myocardial infarction, 1216
- Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking, 1215
- Prostaglandin E₁ and streptokinase in acute myocardial infarction, 1215
- Retractions, 1134
- Role of lymphostasis in accelerated atherosclerosis in transplanted hearts, 430
- Torsades de pointes induced by sotalol, 1216

- Usefulness of electrophysiologic studies in predicting drug efficacy in patients receiving amiodarone, 1218
- Levodopa**
Effect of oral levodopa and carbidopa on coronary spasm in variant angina pectoris, 489
- Lymphostasis**
Role of lymphostasis in accelerated atherosclerosis in transplanted hearts (LE), 430
- Magnetic resonance imaging**
Detection of caval obstruction by magnetic resonance imaging after intraatrial repair of transposition of the great arteries, 688
Diagnostic applicability of magnetic resonance imaging in assessing human cardiac allograft rejection, 130
Evaluation of balloon angioplasty of coarctation restenosis by magnetic resonance imaging, 343
Magnetic resonance imaging for diagnosis of pulmonary vein stenosis after "correction" of total anomalous pulmonary venous connection, 1199
Magnetic resonance imaging of the thoracic aorta, 358
³¹P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure, 309
- Mapping**
Intraoperative Doppler color flow mapping for assessment of valve repair for mitral regurgitation, 333
Intraoperative mapping-guided argon laser ablation of supraventricular tachycardia in the Wolff-Parkinson-White syndrome, 196
Qualitative and quantitative analysis of characteristic body surface potential map features in anterior and inferior myocardial infarction, 1230
- MDL 19,205**
Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroprusside, 647
- Mefruside**
Effects of diltiazem alone and combined with mefruside on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 826
- Metabolism**
Effects of diltiazem alone and combined with mefruside on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 826
- Metabolism, muscle**
³¹P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure, 309
- Metanephrine levels**
Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephries in systolic hypertension of elderly patients, 388
- Methylprednisolone**
Effects of methylprednisolone on collagen biosynthesis in healing acute myocardial infarction, 424
- Metoprolol**
Comparison of selective (β_1) and nonselective (β_1 and β_2) β -adrenergic blockade on systemic and coronary hemodynamic findings in angina pectoris, 244
Effect of metoprolol on the submaximal stress test performed early after acute myocardial infarction, 963
Effects of titrated β blockade (metoprolol) on silent myocardial ischemia in ambulatory patients with coronary artery disease, 519
- Mexiletine**
Antiarrhythmic efficacy of penticainide and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068
Comparative efficacy and safety of oral mexiletine and quinidine in benign or potentially lethal ventricular arrhythmias, 1276
- The MILIS Study**
Prognosis after cardiac arrest due to ventricular tachycardia or ventricular fibrillation associated with acute myocardial infarction (The MILIS Study), 755
- Milrinone**
Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329
Effect of milrinone on acute myocardial infarct size, 422
Effect of oral milrinone on end-systolic relations in patients with severe congestive heart failure, 842
- Misdiagnosis**
Misdiagnosis of systemic hypertension and recommendations for improvement, 1383
- Mitral anular calcium**
Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral anular calcium, 1189
Do diuretics cause mitral anular calcium? (LE), 1216
- Mitral regurgitation**
Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral anular calcium, 1189
Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654
Hemodynamic and volumetric effects of venodilation with nitroglycerin in chronic mitral regurgitation, 1106
Intraoperative Doppler color flow mapping for assessment of valve repair for mitral regurgitation, 333
Mitral regurgitation after cardiac transplantation, 119
Refining the criteria for pulsed Doppler diagnosis of mitral regurgitation by comparison with left ventricular angiography, 663
Relation of sudden death in pure mitral regurgitation, with and without mitral valve prolapse, to repetitive ventricular arrhythmias and right and left ventricular ejection fractions, 397
Usefulness of echocardiographic evidence of pericardial effusion and mitral regurgitation during the acute stage in predicting development of coronary arterial aneurysms in the late stage of Kawasaki disease, 76
- Mitral regurgitation, rheumatic**
Patent ductus arteriosus associated with rheumatic mitral regurgitation in the adult, 924
- Mitral stenosis**
Atrial natriuretic peptide secretion in mitral stenosis, 396
Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327
Correlation of prevalence and severity of mitral regurgitation and mitral stenosis determined by Doppler echocardiography with physical signs of mitral regurgitation and mitral stenosis in 100 patients aged 62 to 100 years with mitral anular calcium, 1189
Effect of aortic regurgitation on the assessment of mitral valve orifice area by Doppler pressure half-time in mitral stenosis, 322
Effects of anticoagulation on recurrent systemic emboli in mitral stenosis, 1191
- Mitral valve**
Comparison of two-dimensional and Doppler echocardiography and intracardiac hemodynamics for quantification of mitral stenosis, 327
Effect of aortic regurgitation on the assessment of mitral valve orifice area by Doppler pressure half-time in mitral stenosis, 322
Intraoperative Doppler color flow mapping for assessment of valve repair for mitral regurgitation, 333
Leaflet to left ventricular size disproportion and prolapse of a structurally normal mitral valve in anorexia nervosa, 911
Mitral valve replacement in hypertrophic cardiomyopathy: ten-year follow-up in 54 patients, 1416
Strut fracture of a Starr-Edwards mitral valve prosthesis, 916
The struggle for acceptance of mitral valve reconstruction, 903
Variable responses of mitral valve motion and flow in systemic hypertension and in idiopathic dilated cardiomyopathy, 363
- Mitral valve atresia**
Doppler echocardiographic confirmation of recurrent atrial septal defect stenosis in infants with mitral valve atresia, 410
- Mitral valve prolapse**
Cardiac valve replacement for stenotic bicuspid aortic valve in husband and for purely regurgitant prolapsed mitral valve in wife, 401
Effects of upright posture on antegrade and retrograde atrioventricular conduction in patients with coronary artery disease, mitral valve prolapse or no structural heart disease, 625
Identification of textural differences of the mitral leaflets in subsets of patients with mitral valve prolapse, 917
Relation of sudden death in pure mitral

regurgitation, with and without mitral valve prolapse, to repetitive ventricular arrhythmias and right and left ventricular ejection fractions, 397

M-mode echocardiography

Accuracy of nondirected and directed M-mode echocardiography as an estimate of left atrial size, 1208

Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy, 1137

Subclinical left ventricular abnormalities in young subjects with long-term type 1 diabetes mellitus detected by digitized M-mode echocardiography, 143

Multivariate analysis

Serial acquisition of data to predict one-year mortality rate after acute myocardial infarction, 451

Murmurs

Genesis of vibratory functional murmurs, 1198

Mustard procedure

Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346

Myocardial calcinosis

Myocardial calcinosis associated with hemodialysis, 421

Myocardial fiber orientation

Influence of the orientation of myocardial fibers on echocardiographic images, 147

Myocardial infarction

Beta blockade in early myocardial infarction (LE), 1215

Calcification of healed myocardial infarcts, 28

Cardiac morphologic observations after operative closure of acquired ventricular septal defect during acute myocardial infarction: analysis of 16 necropsy patients, 981

Changes in ventricular activation time on the signal-averaged electrocardiogram in the first year after acute myocardial infarction, 580

Clinical and hemodynamic correlates of elevated plasma arginine vasopressin after acute myocardial infarction, 1178

Clinical characteristics and natural history of patients with acute myocardial infarction sent home from the emergency room, 219

Comparison of early myocardial technetium-99m pyrophosphate uptake to early peaking of creatine kinase and creatine kinase-MB as indicators of early reperfusion in acute myocardial infarction, 762

Comparison of exercise-positive with recovery-positive treadmill graded exercise tests, 544

Comparison of the acute hemodynamic response to intravenous nisoldipine (Bay k 5552) and intravenous nifedipine for left ventricular dysfunction secondary to myocardial infarction, 836

Coronary arterial thrombolysis with low-dose synergistic combinations of recombinant tissue-type plasminogen activator (rt-PA) and recombinant single-chain urokinase-type plasminogen activator (scu-PA) for acute myocardial infarction, 431

Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m

pyrophosphate, 952

Effectiveness of amiodarone on ventricular arrhythmias during and after acute myocardial infarction, 967

Effect of metoprolol on the submaximal stress test performed early after acute myocardial infarction, 963

Effects of early high-dose streptokinase intravenously on left ventricular function in acute myocardial infarction, 435

Effects of methylprednisolone on collagen biosynthesis in healing acute myocardial infarction, 424

Efficacy of a two-hour infusion of 150-mg tissue plasminogen activator in acute myocardial infarction, 1225

Efficacy of propranolol therapy after acute myocardial infarction related to coronary arterial anatomy and left ventricular function, 976

Electrocardiographic differentiation of occlusion of the left circumflex versus the right coronary artery as a cause of inferior acute myocardial infarction, 456

Exercise testing three days after onset of acute myocardial infarction, 958

Fatal rupture of both left ventricular free wall and ventricular septum (double rupture) during acute myocardial infarction: analysis of seven patients studied at necropsy, 722

Features of cardiac arrest episodes with and without acute myocardial infarction in the coronary artery surgery study (CASS), 1219

Frequency of large V waves in the pulmonary artery wedge pressure in ventricular septal defect of acquired (during acute myocardial infarction) or congenital origin, 415

Heart rate variability as an index of sympathovagal interaction after acute myocardial infarction, 1239

Hemodynamic profile of patients with acute myocardial infarction at risk of infarct expansion, 5

Hospital and long-term survival of patients with acute pulmonary edema associated with coronary artery disease, 33

Importance of coronary collateral circulation for kinetics of serum creatine kinase in acute myocardial infarction, 446

Influence of reperfusion on serum concentrations of cytosolic creatine kinase and structural myosin light chains in acute myocardial infarction, 440

Late angiographic follow-up after successful coronary arterial thrombolysis and angioplasty during acute myocardial infarction, 210

Lysis of mobile left ventricular thrombi during acute myocardial infarction with urokinase, 1180

Nausea and vomiting during acute myocardial infarction and its relation to infarct size and location, 20

Outcome in suspected acute myocardial infarction with normal or minimally abnormal admission electrocardiographic findings, 766

Peak creatine kinase as a measure of reperfusion in acute myocardial infarction (LE), 1216

Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721

Prevalence of presenting symptoms of recognized acute myocardial infarction and of unrecognized healed myocardial infarction in elderly patients, 1182

Prognosis after cardiac arrest due to ventricular tachycardia or ventricular fibrillation associated with acute myocardial infarction (The MILIS Study), 755

Prognosis in survivors of acute myocardial infarction occurring at age 70 years or older, 971

Prostaglandin E₁ and streptokinase in acute myocardial infarction (LE), 1215

Qualitative and quantitative analysis of characteristic body surface potential map features in anterior and inferior myocardial infarction, 1230

Results of signal-averaged electrocardiography and electrophysiologic study in patients with nonsustained ventricular tachycardia after healing of acute myocardial infarction, 80

Role of percutaneous transluminal coronary angioplasty in acute myocardial infarction, 185

Rupture of the ventricular septum or left ventricular free wall from acute myocardial infarction early after coronary artery bypass grafting, 374

Serial acquisition of data to predict one-year mortality rate after acute myocardial infarction, 451

The effects of glucose on myocardial substrate utilization in acute myocardial infarction or angina pectoris, 947

Time course and characteristics of ventricular arrhythmias after reperfusion in acute myocardial infarction, 214

Transseptal Doppler flow velocity profile in acquired ventricular septal defect in acute myocardial infarction, 372

Usefulness of ejection fraction response to exercise one month after acute myocardial infarction in predicting coronary anatomy and prognosis, 225

Usefulness of intravenous thrombolytic therapy with pro-urokinase in acute myocardial infarction, 371

Usefulness of low-level exercise testing early after acute myocardial infarction in patients taking beta-blocking agents, 23

Usefulness of residual ischemic myocardium within prior infarct zone for identifying patients at high risk late after acute myocardial infarction, 15

Usefulness of thromboendarterectomy in association with coronary artery bypass grafting, 1025

Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction, 10

Value of indium-111 monoclonal anti-myosin antibody for imaging in acute myocardial infarction, 725

Myocardial ischemia

Ambulatory monitoring of the digitized electrocardiogram for detection and early warning of transient myocardial ischemia in angina pectoris, 483

Circadian variation in occurrence of transient overt and silent myocardial ischemia in chronic stable angina and comparison with Prinzmetal angina in men, 494

Day-to-day variability of myocardial

- ischemic episodes in coronary artery disease, 1003
- Diagnostic implications for myocardial ischemia of the circadian variation of the onset of chest pain, 998**
- Effect of eating on thallium-201 myocardial redistribution after myocardial ischemia, 528**
- Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471**
- Effects of titrated beta blockade (metoprolol) on silent myocardial ischemia in ambulatory patients with coronary artery disease, 519**
- Mechanism of isoproterenol-induced angina pectoris in patients with obstructive hypertrophic cardiomyopathy and normal coronary arteries, 667**
- Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 503**
- Validation of a real-time electrocardiographic monitor for detection of myocardial ischemia secondary to coronary artery disease, 525**
- Myocardial revascularization**
- Usefulness of Holter monitoring to improve the sensitivity of exercise testing in determining the degree of myocardial revascularization after coronary artery bypass grafting for stable angina pectoris, 40
- Myocardial substrate**
- The effects of glucose on myocardial substrate utilization in acute myocardial infarction or angina pectoris, 947
- Myocardium**
- Acute effects of hydralazine and enalapril on contractile function of postischemic "stunned" myocardium, 934
- Diastolic abnormalities of postischemic "stunned" myocardium, 1211
- Influence of the orientation of myocardial fibers on echocardiographic images, 147
- Is catheter ablation on target? 1387
- Myosin light chains**
- Influence of reperfusion on serum concentrations of cytosolic creatine kinase and structural myosin light chains in acute myocardial infarction, 440
- Myxomatous mitral valve**
- Calcification of the mural endocardium of the left ventricle complicating the myxomatous mitral valve, 1196
- Frequency of myxomatous degeneration of the aortic valve as a cause of isolated aortic regurgitation severe enough to warrant aortic valve replacement, 1194
- Natriuresis**
- Role of atrial natriuretic polypeptides for exaggerated natriuresis in essential hypertension, 708
- Nicardipine**
- Effect of nicardipine on determinants of myocardial ischemia occurring during acute coronary occlusion produced by percutaneous transluminal coronary angioplasty, 267
- Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471
- Nifedipine**
- Comparison of nifedipine and isosorbide dinitrate when added to maximal propranolol therapy in stable angina pectoris, 256
- Comparison of the acute hemodynamic response to intravenous nisoldipine (Bay k 5552) and intravenous nifedipine for left ventricular dysfunction secondary to myocardial infarction, 836
- Nisoldipine**
- Comparison of the acute hemodynamic response to intravenous nisoldipine (Bay k 5552) and intravenous nifedipine for left ventricular dysfunction secondary to myocardial infarction, 836
- Monotherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 703
- Nitrendipine**
- Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 103
- Similar efficacy of nitrendipine in young and elderly hypertensive patients, 1096
- Nitroglycerin**
- Hemodynamic and volumetric effects of venodilation with nitroglycerin in chronic mitral regurgitation, 1106
- Prevention of tolerance to nitroglycerin patches by overnight removal, 271
- Nitroprusside**
- Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroprusside, 647
- Non-Q-wave infarction**
- Prognostic significance and beneficial effect of diltiazem on the incidence of early recurrent ischemia after non-Q-wave myocardial infarction: results from the multicenter diltiazem reinfarction study, 203
- Norepinephrine**
- Blood pressure reduction after oral glucose loading and its relation to age, blood pressure and insulin, 1087
- Heterogeneous myocardial catecholamine concentrations in patients with congestive heart failure, 316
- Identification of normal neurohormonal activity in mild congestive heart failure and stimulating effect of upright posture and diuretics, 1322
- Nuclear studies**
- ³¹P nuclear magnetic resonance evidence of abnormal skeletal muscle metabolism in patients with congestive heart failure, 309
- Occlusion**
- Acute coronary thrombolysis with recombinant human tissue-type plasminogen activator: initial patency and influence of maintained infusion on reocclusion rate, 231
- Acute occlusion following successful percutaneous transluminal coronary angioplasty (LE), 1217
- Early precordial ST-segment depression due to isolated acute right or left circumflex coronary artery occlusion, 726
- Effect of nicardipine on determinants of myocardial ischemia occurring during acute coronary occlusion produced by percutaneous transluminal coronary angioplasty, 267
- Electrocardiographic differentiation of occlusion of the left circumflex versus the right coronary artery as a cause of inferior acute myocardial infarction, 456
- Intravenous streptokinase-mediated thrombolysis of acute occlusion of the left main coronary artery, 1403
- Recovery of systolic and diastolic left ventricular function after a 60-second coronary arterial occlusion during percutaneous transluminal coronary angioplasty for angina pectoris, 460
- Use of infusion catheter in acute left main coronary arterial occlusion, 191
- Osler, William**
- Sir William Osler's angina pectoris and other disorders, 175
- Oxygen**
- Assessment by a microprocessor of adherence to home-based moderate-intensity exercise training in healthy, sedentary middle-aged men and women, 71
- Effectiveness of self-monitored, home-based, moderate-intensity exercise training in middle-aged men and women, 66
- Effect of propranolol and verapamil on oxygen utilization, acidosis and fatigue during exercise in stable angina pectoris, 249
- Maximum oxygen uptake and cardiac size and function in twins, 1362
- Usefulness of a branching treadmill protocol for evaluation of cardiac functional capacity, 1373
- Pacemakers**
- Atrial natriuretic peptide with artificial pacemakers, 384
- Calcific valvular aortic stenosis with and without mitral annular calcium, 865
- Early experiences with the portable automatic external defibrillator in the home and public places, 732
- Importance of left atrial timing in the programming of dual-chamber pacemakers, 566
- Long-term efficacy of antitachycardia pacing for supraventricular and ventricular tachycardias, 1311
- "Pseudo-malfunction" of a DDD pacemaker, 199
- Temporary pacemaker use during coronary arteriography, 1051
- Utility of ambulatory electrocardiography in detecting pacemaker dysfunction in the early postimplantation period, 1030
- Pacing**
- Effects of nicardipine on exercise- and pacing-induced myocardial ischemia in angina pectoris, 471
- Long-term efficacy of antitachycardia pacing for supraventricular and ventricular tachycardias, 1311
- Pain threshold**
- Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 503
- Patent ductus arteriosus**
- Patent ductus arteriosus associated with rheumatic mitral regurgitation in the adult, 924
- Patent foramen ovale**
- Right-to-left interatrial shunting through a patent foramen ovale despite normal intracardiac pressures, 413
- Pediatric cardiology**
- American Academy of Pediatrics, Section on Cardiology, 29th Annual Meeting, New Orleans, Louisiana, October 30-November 1, 1987, 635
- Penticainide**
- Antiarrhythmic efficacy of penticainide

- and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068
- Perfusion**
Contrast perfusion echocardiography: distribution and reproducibility of myocardial contrast enhancement: it in coronary artery disease, 538
Importance of coronary collateral circulation for kinetics of serum creatine kinase in acute myocardial infarction, 446
- Pericardial effusion**
Frequency and significance of pericardial effusion detected by two-dimensional echocardiography in infective endocarditis, 394
Medical management of malignant pericardial effusion by tetracycline sclerosis, 1161
- Peritoneal dialysis**
Left ventricular hypertrophy in end-stage renal disease on peritoneal dialysis, 418
Tocainide pharmacokinetics during continuous ambulatory peritoneal dialysis, 747
- Pharmacodynamics**
Comparison in young and elderly patients of pharmacodynamics and disposition of labetalol in systemic hypertension, 697
- Pharmacokinetics**
Comparison in young and elderly patients of pharmacodynamics and disposition of labetalol in systemic hypertension, 697
Tocainide pharmacokinetics during continuous ambulatory peritoneal dialysis, 747
- Physician assistant**
Coronary arteriography performed by a physician assistant, 784
The specialized physician assistant: an alternative to the clinical cardiology trainee, 901
- Physician training**
Guidelines for optimal physician training in echocardiography. Recommendations of the American Society of Echocardiography Committee for physician training in echocardiography, 158
Guidelines for physician training in pediatric echocardiography. Recommendations of the Society of Pediatric Echocardiography Committee on physician training, 164
- Pinacidil**
Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303
- Piroximone**
Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroprusside, 647
- Plasma catecholamines**
Efficacy of bucindolol in systemic hypertension, 1083
- Plasma norepinephrine**
Return of plasma norepinephrine to normal after resolution of congestive heart failure in congenital heart disease, 1411
- Plasma renin activity**
Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 103
- Plasma volume**
Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 388
- Platelets**
Circulating aggregated platelets in coronary artery disease, 534
Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking (LE), 1215
- Plethysmography**
Enhanced metabolic vasodilation secondary to diuretic therapy in decompensated congestive heart failure secondary to coronary artery disease, 107
- Pleural effusion**
Treatment of chronic pleural effusions after the fontan procedure with prednisone, 408
- Pneumopericardium**
Air pericardial tamponade, 1421
- Polysplenia**
Identification and analysis of left atrial isomerism, 1157
- Potassium**
Diuretics, serum potassium and ventricular arrhythmias in the multiple risk factor intervention trial, 548
- Prazosin**
Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303
- Prednisone**
Treatment of chronic pleural effusions after the fontan procedure with prednisone, 408
- Prinzmetal angina**
Circadian variation in occurrence of transient overt and silent myocardial ischemia in chronic stable angina and comparison with Prinzmetal angina in men, 494
- Porcine bioprostheses**
Emergency reoperation for primary tissue failure of porcine bioprostheses, 920
- Prognosis**
Influence of underlying coronary artery disease on the natural history and prognosis of exercise-induced left bundle branch block, 1065
Prognosis after cardiac arrest due to ventricular tachycardia or ventricular fibrillation associated with acute myocardial infarction (The MILIS Study), 755
Prognosis in survivors of acute myocardial infarction occurring at age 70 years or older, 971
Prognosis of symptomatic coronary artery disease in young adults aged 40 years or less, 1269
Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease, 778
Prognostic significance and beneficial effect of diltiazem on the incidence of early recurrent ischemia after non-Q-wave myocardial infarction: results from the multicenter diltiazem reinfarction study, 203
Usefulness of ejection fraction response to exercise one month after acute myocardial infarction in predicting coronary anatomy and prognosis, 225
Usefulness of residual ischemic myocardium within prior infarct zone for identifying patients at high risk late after acute myocardial infarction, 15
- Programmed stimulation**
Role of extrastimulus prematurity and intraventricular conduction time in inducing ventricular tachycardia or ventricular fibrillation secondary to coronary artery disease, 590
- Prolapse**
Leaflet to left ventricular size disproportion and prolapse of a structurally normal mitral valve in anorexia nervosa, 911
- Propafenone**
Antiarrhythmic efficacy of pentalinide and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068
- Propranolol**
Comparison of ethmozine to propranolol and the combination for ventricular arrhythmias, 603
Comparison of nifedipine and isosorbide dinitrate when added to maximal propranolol therapy in stable angina pectoris, 256
Comparison of selective (beta₁) and nonselective (beta₁ and beta₂) beta-adrenergic blockade on systemic and coronary hemodynamic findings in angina pectoris, 244
Effect of propranolol and verapamil on oxygen utilization, acidosis and fatigue during exercise in stable angina pectoris, 249
Efficacy of propranolol therapy after acute myocardial infarction related to coronary arterial anatomy and left ventricular function, 976
- Prostaglandin**
Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
Prostaglandin E₁ and streptokinase in acute myocardial infarction (LE), 1215
- Pulmonary artery, anomalous**
Cross-sectional and pulsed Doppler echocardiographic features of anomalous origin of right pulmonary artery from the ascending aorta, 921
- Pulmonary artery pressure**
Frequency of large V waves in the pulmonary artery wedge pressure in ventricular septal defect of acquired (during acute myocardial infarction) or congenital origin, 415
- Pulmonary edema**
Hospital and long-term survival of patients with acute pulmonary edema associated with coronary artery disease, 33
- Pulmonary hypertension**
Pulmonary arterial thrombosis in secundum atrial septal defect, 1152
- Pulmonary stenosis**
Acute complications of catheter therapy for congenital heart disease, 679
- Pulmonary valve**
Balloon valvuloplasty in children with dysplastic pulmonary valves, 405
- Pulmonary vascular resistance**
Potential for reversibility of pulmonary vascular obstructive disease after cardiac transplantation, 1134
Reply to: Potential for reversibility of

- pulmonary vascular obstructive disease after cardiac transplantation, 1134
- Pulmonary venous connection**
Magnetic resonance imaging for diagnosis of pulmonary vein stenosis after "correction" of total anomalous pulmonary venous connection, 1199
- Pulsus alternans**
Right ventricular pulsus alternans during acute increase in afterload during balloon pulmonary valvuloplasty, 412
- Purkinje fibers**
Histopathologic studies of the conduction system in marked left-axis deviation, 95
- QRS complex**
Optimal bandpass filters for time-domain analysis of the signal-averaged electrocardiogram, 1290
- QTc interval**
Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- QT interval**
Two:one atrioventricular block in infants with congenital long QT syndrome, 1409
- QT syndrome**
Two:one atrioventricular block in infants with congenital long QT syndrome, 1409
- Quinidine**
Comparative efficacy and safety of oral mexiletine and quinidine in benign or potentially lethal ventricular arrhythmias, 1276
Idecainide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584
- Q wave**
Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- QX/QT ratio**
Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- Radiation exposure**
Radiation exposure during diagnostic catheterization and single- and double-vessel percutaneous transluminal coronary angioplasty, 1401
- Radionuclide angiography**
Occurrence and significance of progressive left ventricular wall thinning and relative cavity dilatation in hypertrophic cardiomyopathy, 123
- Radionuclide imaging**
Differential effects of milrinone and dobutamine on right ventricular preload, afterload and systolic performance in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1329
- Radionuclide ventriculography**
Anatomic and functional significance of a hypotensive response during supine exercise radionuclide ventriculography, 1
- Radiotelemetry**
Cellular telephone transmission of 12-lead electrocardiograms from ambulance to hospital, 715
- Recainam**
Efficacy of recainam, a new antiarrhythmic drug, for control of ventricular arrhythmias, 281
- Recombinant plasminogen activator**
Acute coronary thrombolysis with recombinant human tissue-type plasminogen activator: initial patency and influence of maintained infusion on reocclusion rate, 231
Coronary arterial thrombolysis with low-dose synergistic combinations of recombinant tissue-type plasminogen activator (rt-PA) and recombinant single-chain urokinase-type plasminogen activator (rscu-PA) for acute myocardial infarction, 431
Efficacy of a two-hour infusion of 150-mg tissue plasminogen activator in acute myocardial infarction, 1225
- Reflex control**
Identification of normal neurohormonal activity in mild congestive heart failure and stimulating effect of upright posture and diuretics, 1322
- Renal failure**
Left ventricular hypertrophy in end-stage renal disease on peritoneal dialysis, 418
- Renin**
Dissociation of the prostaglandin and renin angiotensin systems during captopril therapy for chronic congestive heart failure secondary to coronary artery disease, 1101
Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 388
Identification of normal neurohormonal activity in mild congestive heart failure and stimulating effect of upright posture and diuretics, 1322
Role of atrial natriuretic polypeptides for exaggerated natriuresis in essential hypertension, 708
Why do the kidneys release renin in patients with congestive heart failure? A nephrocentric view of converting-enzyme inhibition, 179
- Reperfusion**
Comparison of early myocardial technetium-99m pyrophosphate uptake to early peaking of creatine kinase and creatine kinase-MB as indicators of early reperfusion in acute myocardial infarction, 762
Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m pyrophosphate, 952
Influence of reperfusion on serum concentrations of cytosolic creatine kinase and structural myosin light chains in acute myocardial infarction, 440
Mechanisms of arrhythmias accompanying ST-segment depression on ambulatory monitoring in stable angina pectoris, 1246
Peak creatine kinase as a measure of reperfusion in acute myocardial infarction (LE), 1216
Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721
Time course and characteristics of ventricular arrhythmias after reperfusion in acute myocardial infarction, 214
- Reproducibility**
Technical and biologic sources of variability in the mapping of aortic, mitral and tricuspid color flow jets, 847
- Retrograde conduction**
Effects of upright posture on anterograde and retrograde atrioventricular conduction in patients with coronary artery disease, mitral valve prolapse or no structural heart disease, 625
- Risk factors**
Diuretics, serum potassium and ventricular arrhythmias in the Multiple Risk Factor Intervention Trial, 548
Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men, 1036
Serial acquisition of data to predict one-year mortality rate after acute myocardial infarction, 451
The low risk hypertensive and coronary woman, 1177
Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 771
Value of exercise testing in determining the risk classification and the response to coronary artery bypass grafting in three-vessel coronary artery disease: a report from the coronary artery surgery study (CASS) registry, 262
- Saphenous vein**
Comparison of morphologic changes and luminal sizes of saphenous vein and internal mammary artery after simultaneous implantation for coronary arterial bypass grafting, 193
Nonoperative management of aortocoronary saphenous vein graft rupture during percutaneous transluminal coronary angioplasty, 377
Transcatheter aspiration of a thrombus in an aortocoronary saphenous vein graft, 379
- Scintigraphy**
Combined hemodynamic and scintigraphic assessment of piroximone (MDL 19,205) and comparison with dobutamine and nitroprusside, 647
Simultaneous multivessel coronary artery spasm demonstrated by quantitative analysis of thallium-201 single photon emission computed tomography, 1009
Usefulness of thromboendarterectomy in association with coronary artery bypass grafting, 1025
- Senning procedure**
Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346
- Serum lipoproteins**
Effects of diltiazem alone and combined with mefruside on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 826
- Shunting, intracardiac**
Detection of intracardiac left-to-right shunting in adults: a prospective analysis of the variability of the standard indocyanine green technique in patients without shunting, 355
Right-to-left interatrial shunting through a patent foramen ovale despite normal intracardiac pressures, 413
- Signal averaging**
Effects of analyzed signal duration and

- phase on the results of fast Fourier transform analysis of the surface electrocardiogram in subjects with and without late potentials, 1282
- Optimal bandpass filters for time-domain analysis of the signal-averaged electrocardiogram, 1290
- Sinus node**
- Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692
- Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346
- Sinus rhythm**
- Amiodarone for maintenance of sinus rhythm after conversion of atrial fibrillation in the setting of a dilated left atrium, 572
- Smoking**
- See also Cigarette smoking
- Survival of black persons compared with white persons in the coronary artery surgery study (CASS), 513
- Sotalol**
- Torsades de pointes induced by sotalol (LE), 1216
- Spironolactone**
- Efficacy and tolerance of spironolactone in essential hypertension, 820
- ST depression**
- Sensitivity, specificity and predictive accuracy of Q wave, QX/QT ratio, QTc interval and ST depression during exercise testing in men with coronary artery disease, 1006
- Stenosis**
- See also Aortic stenosis
- Angiographic findings when chest pain recurs after successful percutaneous transluminal coronary angioplasty, 792
- Angiographic follow-up after multivessel percutaneous transluminal coronary angioplasty, 467
- Angiographic morphology of restenosis after percutaneous transluminal coronary angioplasty, 50
- Brachiocephalic arterial stenosis associated with atypical aortic coarctation, 1202
- Doppler echocardiographic confirmation of recurrent atrial septal defect stenosis in infants with mitral valve atresia, 410
- Double long-wire technique for percutaneous transluminal coronary angioplasty for narrowings at major bifurcations, 907
- Early results, complications and restenosis rates after multilesion and multivessel percutaneous transluminal coronary angioplasty, 788
- Late angiographic follow-up after successful coronary arterial thrombolysis and angioplasty during acute myocardial infarction, 210
- Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721
- Stenotomy**
- Usefulness of computed tomography in preoperative assessment of resection after ascending aortic aneurysm resection or after cardiac ventricle to pulmonary conduit insertion, 739
- Steroids**
- Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 771
- Stethoscope**
- Development and use of the stethoscope in diagnosing cardiac disease, 1378
- Streptokinase**
- Effects of early high-dose streptokinase intravenously on left ventricular function in acute myocardial infarction, 435
- Intravenous streptokinase-mediated thrombolysis of acute occlusion of the left main coronary artery, 1403
- Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721
- Prostaglandin E₁ and streptokinase in acute myocardial infarction (LE), 1215
- Stroke**
- Usefulness of atrial fibrillation as a predictor of stroke after isolated coronary artery bypass grafting, 905
- Strut fracture**
- Strut fracture of a Starr-Edwards mitral valve prosthesis, 916
- ST segment**
- Comparison of amplitude-modulated (direct) and frequency-modulated ambulatory techniques for recording ischemic electrocardiographic changes, 895
- Early precordial ST-segment depression due to isolated acute right or left circumflex coronary artery occlusion, 726
- Holter monitoring before, during and after percutaneous transluminal coronary angioplasty for evaluation of high-resolution trend recordings of Leads CM₅ and CC₅ for ST-segment analysis, 796
- Mechanisms of arrhythmias accompanying ST-segment depression on ambulatory monitoring in stable angina pectoris, 1246
- Usefulness of ST-segment depression as a sign of coronary artery disease when confined to the postexercise recovery period, 1405
- Subaortic stenosis**
- Catheter balloon dilatation for discrete subaortic stenosis in the adult, 403
- Subclavian artery**
- Dilatation of stenotic aortic valves through a temporary vascular prosthesis on the subclavian artery, 1193
- Supraventricular tachycardia**
- A transcatheter lead system for identification and termination of supraventricular and ventricular tachycardia, 1043
- Electropharmacology of flecainide for supraventricular tachycardia without associated structural heart disease, 1055
- Intraoperative mapping-guided argon laser ablation of supraventricular tachycardia in the Wolff-Parkinson-White syndrome, 196
- Long-term efficacy of antitachycardia pacing for supraventricular and ventricular tachycardias, 1311
- Role of cycle length, cycle length alternans, and electrocardiographic lead in electrical alternans with rapid atrial pacing, 613
- Surgery**
- See also Coronary artery bypass grafting
- Angiographic follow-up after multivessel percutaneous transluminal coronary angioplasty, 467
- Brachiocephalic arterial stenosis associated with atypical aortic coarctation, 1202
- Cardiac morphologic observations after operative closure of acquired ventricular septal defect during acute myocardial infarction: analysis of 16 necropsy patients, 981
- Combined coronary angioplasty and aortic valvuloplasty, 1184
- Comments from a cardiovascular surgeon on mitral and aortic balloon valvuloplasty (LE), 1218
- Degree of reversibility of left ventricular systolic dysfunction after aortic valve replacement for isolated aortic valve stenosis, 112
- Detection of caval obstruction by magnetic resonance imaging after intraatrial repair of transposition of the great arteries, 688
- Diagnostic applicability of magnetic resonance imaging in assessing human cardiac allograft rejection, 130
- Echocardiographic versus cardiac catheterization diagnosis of infants with congenital heart disease requiring cardiac surgery, 351
- Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692
- Emergency reoperation for primary tissue failure of porcine bioprostheses, 920
- Features of cardiac arrest episodes with and without acute myocardial infarction in the coronary artery surgery study (CASS), 1219
- Frequency of myxomatous degeneration of the aortic valve as a cause of isolated aortic regurgitation severe enough to warrant aortic valve replacement, 1194
- Limited value of balloon dilatation in calcified aortic stenosis in adults: direct observations during open heart surgery, 857
- Mitral regurgitation after cardiac transplantation, 119
- Patent ductus arteriosus associated with rheumatic mitral regurgitation in the adult, 924
- Rupture of the ventricular septum or left ventricular free wall from acute myocardial infarction early after coronary artery bypass grafting, 374
- Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346
- Spontaneous closure of the ventricular component of an atrioventricular septal defect, 1203
- Survival of black persons compared with white persons in the coronary artery surgery study (CASS), 513
- The struggle for acceptance of mitral valve reconstruction, 903
- Usefulness of atrial fibrillation as a predictor of stroke after isolated coronary artery bypass grafting, 905
- Usefulness of computed tomography in preoperative assessment of resection after ascending aortic aneurysm resection or after cardiac ventricle to pulmonary conduit insertion, 739
- Usefulness of Holter monitoring to improve the sensitivity of exercise testing in determining the degree of myocardial revascularization after coronary artery bypass grafting for stable angina pectoris, 40
- Usefulness of thromboendarterectomy in association with coronary artery bypass grafting, 1025
- Value of exercise testing in determining

the risk classification and the response to coronary artery bypass grafting in three-vessel coronary artery disease: a report from the coronary artery surgery study (CASS) registry, 262

Sympathovagal Interaction

Heart rate variability as an index of sympathovagal interaction after acute myocardial infarction, 1239

Symposium: Cardioprotection in Ischemic Heart Disease—Fact or Fantasy?

A single-blind, placebo-controlled study of effects of atenolol on transient ischemia in "mixed" angina, 36A

Beta blockade early in acute myocardial infarction, 6A

Choice of therapy in chronic ischemic heart disease, 33A

Discussion (I), 26A

Discussion (II), 41A

Efficacy of nifedipine and metoprolol in the early treatment of unstable angina in the coronary care unit: findings from the Holland Interuniversity

Nifedipine/Metoprolol Trial (HINT), 18A

Intervention in acute myocardial infarction, 2A

Interventions that potentially limit myocardial infarct size: overview of clinical trials, 11A

Introduction, 1A

Secondary prevention trials after acute myocardial infarction, 28A

Symposium: Ethmozine® (Moricizine HCl)—A New Antiarrhythmic Agent

Antiarrhythmic efficacy of Ethmozine® (moricizine HCl) compared with disopyramide and propranolol, 52F

Clinical, electrophysiologic and antiarrhythmic efficacy of moricizine HCl, 40F

Considerations of current methods for drug selection in treating malignant ventricular arrhythmias, 3F

Current approaches to drug treatment of ventricular arrhythmias, 10F

Discussion I, 45F

Discussion II, 87F

Drug interactions with Ethmozine® (moricizine HCl), 79F

Effect of Ethmozine® (moricizine HCl) on ventricular function using echocardiographic, hemodynamic and radionuclide assessments, 73F

Efficacy and tolerance of Ethmozine® (moricizine HCl) in placebo-controlled trials, 48F

Electrophysiologic aspects of moricizine HCl, 27F

Electrophysiology of Ethmozine® (moricizine HCl) for ventricular tachycardia, 67F

Ethmozine® (moricizine HCl): a promising drug for "automatic" atrial ectopic tachycardia, 83F

Ethmozine® (moricizine HCl) therapy for complex ventricular arrhythmias, 59F

Introduction, 1F

Pharmacokinetics of moricizine HCl, 35F

Reflections on reentry and focal activity, 21F

Symposium: Hypertension—The Preventable Cardiovascular Risk Factor

Antihypertensive therapy and the concept of total cardiovascular protection, 29E

Blood lipid levels and antihypertensive therapy, 33E

Discussion, 36E

Effects of adrenoceptor-blocking drugs on plasma lipoprotein concentrations, 17E

Effects of antihypertensive drugs on

plasma lipids, 24E

Frequency of systemic hypertension in various cardiovascular diseases, 1E

Pharmacokinetic and pharmacodynamic properties of beta-blocking drugs influencing choice in treatment of systemic hypertension, 13E

Treatment of systemic hypertension, 9E

Symposium: New Approaches to Cardiovascular Therapy

Clinical consequences of age-related impairments in vascular compliance, 68G

Dietary fiber, lipids and atherosclerosis, 17G

Effects of polyunsaturated fatty acids on factors related to cardiovascular disease, 23G

Electrolytes and dietary fat in hypertensive cardiovascular disease, 59G

Foreword, 3G

Hypolipidemic effects of HMG-CoA reductase inhibitors in patients with hypercholesterolemia, 33G

Introduction, 1G

Low density lipoprotein receptor regulation and the cellular basis of atherosclerosis: implications for nutritional and pharmacologic treatment of hypercholesterolemia, 4G

Medical evaluation and treatment of the obese patient with cardiovascular disease, 55G

Nonpharmacologic approaches to the treatment of systemic hypertension, 43G

Physiologic response and clinical implications of nutrition support, 75G

Platelet/vessel wall interactions, rheologic factors and thrombotic substrate in acute coronary syndromes: preventive strategies, 9G

Role of drugs for systemic hypertension and their effect on the heart, 72G

Two forms of vasoconstriction in systemic hypertension, 82G

Weight reduction for control of systemic hypertension, 48G

Symposium: Nicardipine—A Vasoselective Calcium Antagonist

Animal pharmacology of nicardipine and its clinical relevance, 3J

An overview of the safety and efficacy of nicardipine in clinical trials, 31J

Concluding remarks, 37J

General discussion, 36J

Hemodynamics of nicardipine in coronary artery disease, 9J

Introduction, 1J

Nicardipine for systemic hypertension: effects on blood pressure and target organ function, 25J

Usefulness of nicardipine for angina pectoris, 13J

Use of invasive ergometric exercise to assess the hemodynamic response to nicardipine, 20J

Symposium: Nitroglycerin Therapy—A Contemporary Perspective

Antianginal effects of nitroglycerin during exercise-induced angina: hemodynamic and left ventricular function changes related to indexes of myocardial oxygen consumption, 10H

Beneficial effect of nitrates on myocardial glucose utilization in unstable angina pectoris, 26H

Introduction, 1H

Nitrate tolerance, 44H

Nitroglycerin in chronic stable angina pectoris, 15H

Pharmacokinetics and pharmacodynamics of organic nitrates, 4H

Role of nitrates in acute myocardial infarction, 35H

Role of nitrates in congestive heart failure, 39H

Role of nitrates in silent myocardial ischemia, 18H

Use of nitrates in unstable angina pectoris, 31H

Symposium: Pirmenol—A Unique, New Antiarrhythmic Agent

A multicenter dose-response study of pirmenol hydrochloride in patients with ventricular premature contractions, 43H

Conversion of paroxysmal atrial fibrillation to sinus rhythm by intravenous pirmenol, 39H

Effectiveness of pirmenol hydrochloride in suppressing high frequency ventricular ectopy: a placebo-controlled, double-blind, multicenter study, 48H

Electrocardiographic and electrophysiologic effects of pirmenol in ventricular tachycardia, 20H

General discussion I, 33H

General discussion II, 54H

Hemodynamic effects of pirmenol and lidocaine: a placebo-controlled, double-blind, comparative study, 27H

Introduction, 1H

Pirmenol in the termination of paroxysmal supraventricular tachycardia, 35H

Preclinical and clinical pharmacokinetics of pirmenol, 15H

Preclinical pharmacology of pirmenol, 2H

Preliminary study of pirmenol in the treatment of ventricular arrhythmias, 53H

Summary, 56H

Symposium: Restenosis After Percutaneous Transluminal Coronary Angioplasty

Anticoagulation and restenosis after percutaneous transluminal coronary angioplasty, 17B

Design considerations in the study of restenosis after percutaneous transluminal coronary angioplasty, 3B

Influence of the methodology of percutaneous transluminal coronary angioplasty on restenosis, 29B

Insights into coronary angioplasty-induced restenosis from examination of atherogenesis, 65B

Introduction, 1B

Mechanism of angioplasty and its relation to restenosis, 5B

On passivation and stenosis: restenosis in coronary artery disease and percutaneous transluminal coronary angioplasty, 68B

Percutaneous transluminal coronary angioplasty and subsequent restenosis: quantitative and qualitative methodology for their assessment, 34B

Percutaneous transluminal coronary angioplasty restenosis: potential prevention with laser balloon angioplasty, 61B

Rationale for use of glucocorticoids in modification of restenosis after percutaneous transluminal coronary angioplasty, 56B

Restenosis after arterial angioplasty: a hemorrhagic response to injury, 10B

Restenosis after multilesion percutaneous transluminal coronary angioplasty, 44B

Restenosis after percutaneous transluminal coronary angioplasty: the Emory University Hospital Experience, 39B

Restenosis after successful percutaneous

transluminal coronary angioplasty: the Montreal Heart Institute experience, 50B

Role of platelets and thrombosis in mechanisms of acute occlusion and restenosis after angioplasty, 20B

The Frankfurt experience in restenosis after coronary angioplasty, 48B

Symposium: The Use of Enoximone in Heart Failure

A comparison of hemodynamic effects of one-month oral captopril and enoximone treatment for severe congestive heart failure, 68C

Acute hemodynamic response to low dose enoximone (MDL 17,043): an oral dose-range study, 57C

A dose-response study of intravenous enoximone in congestive heart failure, 31C

A double-blind dose response comparison of oral enoximone and placebo for congestive heart failure, 72C

A preliminary report of the effects of orally administered enoximone on regional hemodynamics in congestive heart failure, 27C

Biotransformation and pharmacokinetic overview of enoximone and its sulfoxide metabolite, 21C

Cardiac energetics after intravenous enoximone in idiopathic dilated cardiomyopathy, 53C

Comparative effects on hemodynamics of enoximone (MDL 17,043), dobutamine and nitroglycerin in severe congestive heart failure, 46C

Effects of low dose enoximone for chronic congestive heart failure, 80C

Intravenous use of enoximone, 42C

Introduction, 1C

Long-term oral enoximone therapy in chronic cardiac failure, 63C

Long-term treatment with oral enoximone for chronic congestive heart failure: the European experience, 85C

Pathophysiology of acute and chronic cardiac failure, 3C

Pharmacology of enoximone, 10C

Physiologic response to the inotropic and vasodilator properties of enoximone, 15C

Placebo-controlled study of oral enoximone in congestive heart failure with initial and final intravenous hemodynamic evaluation, 75C

Potential mechanisms of improved left ventricular function with enoximone in severe congestive heart failure, 37C

Symposium: Use of Beta Blockers as Antiarrhythmic Agents

Antiarrhythmic effects of beta-adrenergic blocking agents in benign or potentially lethal ventricular arrhythmias, 10D

Beta blockers in combination with class I antiarrhythmic agents, 21D

Beta-blocker therapy for the Wolff-Parkinson-White syndrome, 46D

Classification of supraventricular tachycardias, 27D

Comparative effects of nadolol-digoxin combination therapy and digoxin monotherapy for chronic atrial fibrillation, 39D

Efficacy and safety of intravenous nadolol for supraventricular tachycardia, 59D

Efficacy and safety of oral nadolol for exercise-induced ventricular arrhythmias, 15D

Efficacy of nadolol in preventing supraventricular tachycardia after coronary artery bypass grafting, 51D

Electrophysiologic effects of beta blockers in ventricular arrhythmias, 3D

Electrophysiology of beta blockers in supraventricular arrhythmias, 32D

Introduction, 1D

Long-term efficacy and safety of beta-adrenergic receptor antagonists for supraventricular tachycardia, 63D

Syncope

Impaired heart rate responses to cough and deep breathing in elderly patients with unexplained syncope, 136B

Value of programmed ventricular stimulation in presumed carotid sinus syndrome, 107B

Syndrome X

Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 50B

Usefulness of a high-dose dipyridamole-echocardiography test for diagnosis of syndrome X, 50B

Synergism

Coronary arterial thrombolysis with low-dose synergistic combinations of recombinant tissue-type plasminogen activator (rt-PA) and recombinant single-chain urokinase-type plasminogen activator (scu-PA) for acute myocardial infarction, 43I

Systemic emboli

Effects of anticoagulation on recurrent systemic emboli in mitral stenosis, 119I

Systemic hypertension

See also Blood pressure, hypertension
Antihypertensive effect of sustained-release isosorbide dinitrate for isolated systolic systemic hypertension in the elderly, 99

Chronic effects of direct vasodilation (μ -nacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 30B

Comparison in young and elderly patients of pharmacodynamics and disposition of labetalol in systemic hypertension, 69B

Comparison of nitrendipine and hydrochlorothiazide for systemic hypertension, 10B

Effects of diltiazem alone and combined with nifedipine on cardiovascular response at rest and during exercise, carbohydrate metabolism and serum lipoproteins in patients with systemic hypertension, 82B

Exercise capacity and hemodynamics in persons aged 20 to 50 years with systemic hypertension treated with diltiazem and atenolol, 83B

Hemodynamic hypertrophied left ventricular patterns in systemic hypertension, 131B

Misdiagnosis of systemic hypertension and recommendations for improvement, 138B

Monotherapy with the calcium channel antagonist nisoldipine for systemic hypertension and comparison with diuretic drugs, 70B

Variable responses of mitral valve motion and flow in systemic hypertension and in idiopathic dilated cardiomyopathy,

36B

Systole

Diastolic abnormalities of postischemic "stunned" myocardium, 121I

Hemodynamic hypertrophied left ventricular patterns in systemic hypertension, 131B

Systolic contraction

Diastolic abnormalities of postischemic "stunned" myocardium, 121I

Systolic dysfunction

Occurrence and significance of progressive left ventricular wall thinning and relative cavity dilatation in hypertrophic cardiomyopathy, 12B

Systolic hypertension

Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 38B

Systolic performance, high altitude

Enhanced left ventricular systolic performance at high altitude during operation Everest II, 137

Tachycardia

Relation between clinical presentation and induced arrhythmias in the Wolff-Parkinson-White syndrome, 57B

Reversibility of tachycardia-induced left ventricular dysfunction after closed-chest catheter ablation of the atrioventricular junction for intractable atrial fibrillation, 140B

Role of extrastimulus site and tachycardia cycle length in inducibility of atrial preexcitation by premature ventricular stimulation during reciprocating tachycardia, 81I

T-cell subsets

Imbalance among T-cell subsets in patients with coronary arterial aneurysms in Kawasaki disease, 55B

Technetium-99m

Comparison of early myocardial technetium-99m pyrophosphate uptake to early peaking of creatine kinase and creatine kinase MB as indicators of early reperfusion in acute myocardial infarction, 76B

Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m pyrophosphate, 95B

Testosterone

Usefulness of sex steroid hormone levels in predicting coronary artery disease in men, 77I

Tetracycline sclerosis

Medical management of malignant pericardial effusion by tetracycline sclerosis, 116I

Tetralogy of Fallot

Left ventricular systolic and diastolic function after total correction of tetralogy of Fallot, 114B

Tetralogy of Fallot in a blastocystic implantation, 120B

Thallium-201

See also Scintigraphy
Effect of eating on thallium-201 myocardial redistribution after myocardial ischemia, 52B

Simultaneous multivessel coronary artery spasm demonstrated by quantitative analysis of thallium-201 single photon emission computed tomography, 100B

Thallium-201 imaging for diagnosis of left atrial myxoma, 120B

Usefulness of residual ischemic

- myocardium within prior infarct zone for identifying patients at high risk late after acute myocardial infarction, 15
- Thiazide therapy**
Effect of one year of thiazide therapy on plasma volume, renin, aldosterone, lipids and urinary metanephrines in systolic hypertension of elderly patients, 388
- Thrombi**
Lysis of mobile left ventricular thrombi during acute myocardial infarction with urokinase, 1180
- Thromboendarterectomy**
Usefulness of thromboendarterectomy in association with coronary artery bypass grafting, 1025
- Thrombolysis**
Acute coronary thrombolysis with recombinant human tissue-type plasminogen activator: Initial patency and influence of maintained infusion on reocclusion rate, 231
Comparison of early myocardial technetium-99m pyrophosphate uptake to early peaking of creatine kinase and creatine kinase-MB as indicators of early reperfusion in acute myocardial infarction, 762
Coronary arterial thrombolysis with low-dose synergistic combinations of recombinant tissue-type plasminogen activator (rt-PA) and recombinant single-chain urokinase-type plasminogen activator (scu-PA) for acute myocardial infarction, 431
Exercise testing three days after onset of acute myocardial infarction, 958
Importance of coronary collateral circulation for kinetics of serum creatine kinase in acute myocardial infarction, 446
Intravenous streptokinase-mediated thrombolysis of acute occlusion of the left main coronary artery, 1403
Late angiographic follow-up after successful coronary arterial thrombolysis and angioplasty during acute myocardial infarction, 210
Usefulness of intravenous thrombolytic therapy with pro-urokinase in acute myocardial infarction, 371
- Thrombosis**
Pulmonary arterial thrombosis in secundum atrial septal defect, 1152
- Thrombus**
Dissolution of angiographically detected intracoronary thrombus for unstable angina pectoris after aspirin therapy, 728
Embolization of a large left ventricular thrombus during two-dimensional and color flow Doppler examination in idiopathic dilated cardiomyopathy, 402
Possible acute platelet thrombus formation in coronary artery disease precipitated by cigarette smoking (LE), 1215
Possible link between acute myocardial infarction-related coronary artery narrowing and presence of a previous coronary event, 721
Transcatheter aspiration of a thrombus in an aortocoronary saphenous vein graft, 379
- Time-domain analysis**
Optimal bandpass filters for time-domain analysis of the signal-averaged electrocardiogram, 1290
- Tissue ablation**
Electrical thermal angioplasty: catheter design features, in vitro tissue ablation studies and in vivo experimental findings, 1117
- Tocainide**
Tocainide pharmacokinetics during continuous ambulatory peritoneal dialysis, 747
- Tolerance**
Pain threshold and tolerance in women with syndrome X and women with stable angina pectoris, 503
Usefulness of twice-daily isosorbide-5-mononitrate in preventing development of tolerance in angina pectoris, 477
- Tomography**
Detection of endocardial calcium in endomyocardial fibrosis by computed tomography, 420
Early estimation of acute myocardial infarct size soon after coronary reperfusion using emission computed tomography with technetium-99m pyrophosphate, 952
Simultaneous multivessel coronary artery spasm demonstrated by quantitative analysis of thallium-201 single photon emission computed tomography, 1009
Usefulness of computed tomography in preoperative assessment of resection after ascending aortic aneurysm resection or after cardiac ventricle to pulmonary conduit insertion, 739
Value of indium-111 monoclonal antimyosin antibody for imaging in acute myocardial infarction, 725
- Torsades de pointes**
Torsades de pointes induced by sotalol (LE), 1216
Torsades de pointes precipitated by a Chinese herbal remedy, 1186
- Transcardiac lead system**
A transcardiac lead system for identification and termination of supraventricular and ventricular tachycardia, 1043
- Transposition of the great arteries**
Detection of caval obstruction by magnetic resonance imaging after intraatrial repair of transposition of the great arteries, 688
Sinus node shift after the Senning procedure compared with the Mustard procedure for transposition of the great arteries, 346
- Tricuspid stenosis, rheumatic**
Doppler echocardiographic findings in rheumatic tricuspid stenosis, 1414
- Two-dimensional echocardiography**
See also Echocardiography
Cross-sectional and pulsed Doppler echocardiographic features of anomalous origin of right pulmonary artery from the ascending aorta, 921
Digital two-dimensional echocardiographic imaging of the proximal left anterior descending coronary artery, 1254
Embolization of a large left ventricular thrombus during two-dimensional and color flow Doppler examination in idiopathic dilated cardiomyopathy, 402
Frequency and significance of pericardial effusion detected by two-dimensional echocardiography in infective endocarditis, 394
Hydatid cyst of the right atrium diagnosed by echocardiography, 931
Identification of cor triatriatum dexter by two-dimensional echocardiography, 409
Identification of textural differences of the mitral leaflets in subsets of patients with mitral valve prolapse, 917
Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy, 1137
Technical and biologic sources of variability in the mapping of aortic, mitral and tricuspid color flow jets, 847
Two-dimensional echocardiographic findings in patients on hemodialysis for more than six months, 743
Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction, 10
- Ultrasound studies**
Influence of the orientation of myocardial fibers on echocardiographic images, 147
Number of cardiac cycles required to accurately determine mean velocity of blood flow in the ascending aorta and pulmonary trunk, 746
- Urokinase**
Lysis of mobile left ventricular thrombi during acute myocardial infarction with urokinase, 1180
- U-wave**
Coronary angiographic findings associated with U-wave inversion during coronary artery spasm, 188
- Vagal reflex**
Nausea and vomiting during acute myocardial infarction and its relation to infarct size and location, 20
- Valve prostheses**
Late embolic phenomena associated with cloth-covered Starr-Edwards aortic valve prostheses, 914
Strut fracture of a Starr-Edwards mitral valve prosthesis, 916
- Valvuloplasty**
Combined coronary angioplasty and aortic valvuloplasty, 1184
Long-term follow-up after aortic valvuloplasty and defect closure in ventricular septal defect with aortic regurgitation, 890
- Vasoactive intestinal peptide**
Cardiovascular effects of vasoactive intestinal peptide in healthy subjects, 1356
- Vasodilation**
Chronic effects of direct vasodilation (pinacidil), alpha-adrenergic blockade (prazosin) and angiotensin-converting enzyme inhibition (captopril) in systemic hypertension, 303
Enhanced metabolic vasodilation secondary to diuretic therapy in decompensated congestive heart failure secondary to coronary artery disease, 107
- Vasodilators**
Effect of oral milrinone on end-systolic relations in patients with severe congestive heart failure, 842
Effects of afterload reduction (diuretics and vasodilators) on left ventricular volume and mitral regurgitation in severe congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 654
Hemodynamic and volumetric effects of venodilation with nitroglycerin in chronic mitral regurgitation, 1106
- Vasopressin**
Effectiveness of vasopressin regulation of

coronary blood flow in congestive heart failure secondary to idiopathic dilated or ischemic cardiomyopathy, 390

Velocity calculations

Number of cardiac cycles required to accurately determine mean velocity of blood flow in the ascending aorta and pulmonary trunk, 746

Vena caval obstruction

Detection of caval obstruction by magnetic resonance imaging after intraatrial repair of transposition of the great arteries, 688

Ventricular activation time

Changes in ventricular activation time on the signal-averaged electrocardiogram in the first year after acute myocardial infarction, 580

Ventricular arrhythmias

See also Arrhythmias

Accuracy of commercial 24-hour electrocardiogram analyzers for quantitation of total and repetitive ventricular arrhythmias, 1299

Antiarrhythmic efficacy of penticainide and comparison with disopyramide, flecainide, propafenone and mexiletine by acute oral drug testing, 1068

Comparative efficacy and safety of oral mexiletine and quinidine in benign or potentially lethal ventricular arrhythmias, 1276

Comparison of ethmozine to propranolol and the combination for ventricular arrhythmias, 603

Correlation of complex ventricular arrhythmias detected by ambulatory electrocardiographic monitoring with echocardiographic left ventricular hypertrophy in persons older than 62 years in a long-term health care facility, 730

Diuretics, serum potassium and ventricular arrhythmias in the multiple risk factor intervention trial, 548

Effectiveness of amiodarone on ventricular arrhythmias during and after acute myocardial infarction, 967

Efficacy of recainam, a new antiarrhythmic drug, for control of ventricular arrhythmias, 281

Indecainide compared with quinidine for chronic stable ventricular arrhythmias secondary to coronary artery disease or to cardiomyopathy, 584

Relation of sudden death in pure mitral regurgitation, with and without mitral valve prolapse, to repetitive ventricular arrhythmias and right and left ventricular ejection fractions, 397

Risk of ventricular arrhythmias in left ventricular hypertrophy: the Framingham Heart Study, 560

Temporary pacemaker use during coronary arteriography, 1051

Time course and characteristics of ventricular arrhythmias after reperfusion in acute myocardial infarction, 214

Ventricular fibrillation

Features of cardiac arrest episodes with and without acute myocardial infarction in the coronary artery surgery study (CASS), 1219

Prognosis after cardiac arrest due to ventricular tachycardia or ventricular fibrillation associated with acute myocardial infarction (The MILIS Study), 755

Role of extrastimulus prematurity and intraventricular conduction time in

inducing ventricular tachycardia or ventricular fibrillation secondary to coronary artery disease, 590

Ventricular premature complexes

Relation between ventricular premature complexes and sudden cardiac death in apparently healthy men, 1036

Spontaneous variability in the frequency of ventricular premature complexes over prolonged intervals and implications for antiarrhythmic treatment, 608

Ventricular septal defect

Cardiac morphologic observations after operative closure of acquired ventricular septal defect during acute myocardial infarction: analysis of 16 necropsy patients, 981

Frequency of large V waves in the pulmonary artery wedge pressure in ventricular septal defect of acquired (during acute myocardial infarction) or congenital origin, 415

Long-term follow-up after aortic valvuloplasty and defect closure in ventricular septal defect with aortic regurgitation, 890

Spontaneous closure of uncomplicated ventricular septal defect, 674

Transseptal Doppler flow velocity profile in acquired ventricular septal defect in acute myocardial infarction, 372

Ventricular septum

Fatal rupture of both left ventricular free wall and ventricular septum (double rupture) during acute myocardial infarction: analysis of seven patients studied at necropsy, 722

Rupture of the ventricular septum or left ventricular free wall from acute myocardial infarction early after coronary artery bypass grafting, 374

Ventricular tachycardia

A transcardiac lead system for identification and termination of supraventricular and ventricular tachycardia, 1043

Comparison of the characteristics of nonsustained ventricular tachycardia on Holter monitoring and sustained ventricular tachycardia observed spontaneously or induced by programmed stimulation, 288

Development of congestive heart failure and alterations in left ventricular function in patients with sustained ventricular tachyarrhythmias treated with amiodarone, 276

Effects of analyzed signal duration and phase on the results of fast Fourier transform analysis of the surface electrocardiogram in subjects with and without late potentials, 1282

Electrophysiologic predictors of long-term clinical outcome with amiodarone for refractory ventricular tachycardia secondary to coronary artery disease, 293

Features of cardiac arrest episodes with and without acute myocardial infarction in the coronary artery surgery study (CASS), 1219

Influence of the cycle length of basic drive on induction of sustained ventricular tachycardia associated with coronary artery disease, 1306

Long-term efficacy of antitachycardia pacing for supraventricular and ventricular tachycardias, 1311

Prognosis after cardiac arrest due to ventricular tachycardia or ventricular

fibrillation associated with acute myocardial infarction (The MILIS Study), 755

Relation between extent of left ventricular hypertrophy and occurrence of ventricular tachycardia in hypertrophic cardiomyopathy, 1137

Results of signal-averaged electrocardiography and electrophysiologic study in patients with nonsustained ventricular tachycardia after healing of acute myocardial infarction, 80

Role of extrastimulus prematurity and intraventricular conduction time in inducing ventricular tachycardia or ventricular fibrillation secondary to coronary artery disease, 590

The resetting response of ventricular tachycardia to single and double extrastimuli: implications for an excitable gap, 596

Value of programmed electrical stimulation using a standardized ventricular stimulation protocol in hypertrophic cardiomyopathy, 738

Ventricular wall

Fatal rupture of both left ventricular free wall and ventricular septum (double rupture) during acute myocardial infarction: analysis of seven patients studied at necropsy, 722

Rupture of the ventricular septum or left ventricular free wall from acute myocardial infarction early after coronary artery bypass grafting, 374

Ventriculography

Guidelines for the interpretation of the exercise radionuclide ventriculogram for diagnosing coronary artery disease, 1265

Sources of subjective variability in the assessment of left ventricular regional wall motion from contrast ventriculograms, 153

Verapamil

Effect of propranolol and verapamil on oxygen utilization, acidosis and fatigue during exercise in stable angina pectoris, 249

Electrophysiologic effects of intravenous verapamil in children after operations for congenital heart disease, 692

V waves

Frequency of large V waves in the pulmonary artery wedge pressure in ventricular septal defect of acquired (during acute myocardial infarction) or congenital origin, 415

Wall motion

Sources of subjective variability in the assessment of left ventricular regional wall motion from contrast ventriculograms, 153

Usefulness of two-dimensional echocardiography during low-level exercise testing early after uncomplicated acute myocardial infarction, 10

Wenckebach periodicity

Reverse alternating Wenckebach periodicity, 90

Wolff-Parkinson-White syndrome

Intraoperative mapping-guided argon laser ablation of supraventricular tachycardia in the Wolff-Parkinson-White syndrome, 196

Relation between clinical presentation and induced arrhythmias in the Wolff-Parkinson-White syndrome, 576